



BSI Standards Publication

**Footwear – Test method for slide fasteners –
Attachment strength of end stops (ISO 10750:2015)**

National foreword

This British Standard is the UK implementation of EN ISO 10750:2018. It is identical to ISO 10750:2015.

The UK participation in its preparation was entrusted to Technical Committee TCI/69, Footwear & Leather.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2018

Published by BSI Standards Limited 2018

ISBN 978 0 580 80869 2

ICS 61.060

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2018.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

ICS 61.060

English Version

Footwear - Test method for slide fasteners - Attachment strength of end stops (ISO 10750:2015)

Chaussures - Méthode d'essai pour les fermetures à glissière - Résistance d'attachement des extrémités (ISO 10750:2015)

Schuhe - Prüfverfahren für Reißverschlüsse - Abzugfestigkeit von Begrenzungsteilen (ISO 10750:2015)

This European Standard was approved by CEN on 15 July 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

European foreword

The text of ISO 10750:2015 has been prepared by Technical Committee ISO/TC 216 "Footwear" of the International Organization for Standardization (ISO) and has been taken over as EN ISO 10750:2018 by Technical Committee CEN/TC 309 "Footwear" the secretariat of which is held by UNE.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2019, and conflicting national standards shall be withdrawn at the latest by March 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Endorsement notice

The text of ISO 10750:2015 has been approved by CEN as EN ISO 10750:2018 without any modification.

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	3
4.1 General.....	3
4.2 Method 1 — Top stop attachment strength.....	3
4.3 Method 2 — Bottom stop attachment strength (Slider-stringer method).....	3
4.4 Method 3 — Bottom stop attachment strength (Stringer-stringer method).....	3
5 Apparatus and materials	4
6 Test specimens	5
7 Procedure	5
7.1 Method 1 — Top stop attachment strength.....	5
7.2 Method 2 — Bottom stop attachment strength (Stringer-slider method).....	6
7.3 Method 3 — Bottom stop attachment strength (Stringer-stringer method).....	6
8 Test report	7
Bibliography	8

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 216, *Footwear*.

Footwear – Test method for slide fasteners – Attachment strength of end stops

1 Scope

This International Standard describes a method intended to determine the attachment strength of the top and bottom stops of a slide fastener. The method is applicable to all types of slide fastener for footwear.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[ISO 7500-1](#), *Metallic materials — Tensile testing — Part 2: Verification of the force measuring system of the tensile testing machines*

ISO 18454, *Footwear — Standard atmospheres for conditioning and testing of footwear and components for footwear*

3 Terms and definitions


For the purposes of this document, the terms and definitions given in [ISO 19952](#) and the following apply.

3.1

slide fastener

means of securing two flexible materials consisting of interlockable teeth, each attached to one of the opposing edges of two tapes, and movable slider that spans the interlocking teeth which when moved in one direction causes the teeth of one tape to interlock with the teeth of the other tape and when the slider is moved in the opposite direction causes the teeth to disengage

Note 1 to entry: See [Figure 1](#).



Key

- 1 top stop
- 2 slider
- 3 tape
- 4 teeth
- 5 puller
- 6 bottom stop

Figure 1 — Slide fastener

3.2

tape

fabric panels to support other teeth of the slide fastener

3.3

slider

means of drawing the two interlocking teeth together or apart as it traverses the length of the teeth

3.4

puller

piece of plastic or metal attached to the slider as a means of manual grip for the user to operate

3.5

teeth

individual component of the slide fastener or continuous plastic spiral which interlocks with an opposing element

3.6

end stop/top stop

terminal components of the teeth to prevent the slider from disengaging from the teeth and tape

3.7

stringer

textile tape with an attached row of teeth designed to interact with a row attached to another tape

4 Principle

4.1 General

This International Standard describes the following methods.

4.2 Method 1 — Top stop attachment strength


The slider of a closed fastener is clamped in one jaw of a tensile testing machine and the bottom end of the fastener is clamped in the other jaw. The jaws are then moved apart and the force required to pull the top stops off the fastener is measured.

4.3 Method 2 — Bottom stop attachment strength (Slider-stringer method)

The slider of an open fastener is clamped in one jaw of a tensile testing machine and the two free stringer ends are clamped in the other jaw. The jaws are then moved apart and the force required to pull the bottom stops off the fastener is measured.

4.4 Method 3 — Bottom stop attachment strength (Stringer-stringer method)

The free stringer ends of an open fastener are fitted into the two jaws of a tensile testing machine. The jaws are then moved apart and the force required to pull the bottom stop off is measured.



Key

- 1 upper clamp
- 2 stringer
- 3 slider body
- 4 bottom stop

Figure 2 — Zip closed end test (Method 3)

5 Apparatus and materials


5.1 A tensile testing machine with the following.

5.1.1 A jaw separation rate of (100 ± 10) mm/min.

5.1.2 The capability of measuring forces up to 1 kN to an accuracy of 2 % as specified by Class 2 in [ISO 7500-1](#).

5.1.3 The facility to record either the maximum force obtained during the test, or the force throughout the test.

5.2 For method 1 and method 2, a small hook attachment which will fit into the upper jaw of the tensile testing machine (5.1). The thickness of the hook should be small enough to fit through the hole in the puller of the test fasteners. A hook made from wire of diameter $(1,6 \pm 0,2)$ mm is suitable. The arrangements of these two tests are illustrated in [Figure 2](#) and [Figure 3](#).




Key

- 1 upper clamp of testing machine
- 2 small hook
- 3 slider puller
- 4 stringer
- 5 lower clamp

Figure 3 — Clamping arrangement for Method 1

Dimensions in millimetres



Key

- 1 upper clamp of testing machine
- 2 small hook
- 3 slider puller
- 4 stringer
- 5 lower clamp

Figure 4 — Clamping arrangement for Method 2

6 Test specimens

Three fasteners are required for each of the tests. Condition the test specimens according to ISO 18454 for 24 h before testing and carry out the test in this environment.

7 Procedure

Three versions of the test method can be used.

7.1 Method 1 — Top stop attachment strength

7.1.1 Fit the hook attachment (5.2) into the upper jaw of the tensile testing machine (5.1) and zero the force measurement system (5.1.2).

7.1.2 Close a test fastener so that the slider is against the top stops.

7.1.3 Thread the hook attachment (5.2) through the hole in the puller of the closed fastener.

7.1.4 Clamp the main body of the fastener in the lower jaw of the tensile testing machine. If possible, the fastener should be clamped at a point approximately 75 mm below the slider. Surplus stringer may be cut away if necessary.

7.1.5 Turn on the recording system (5.1.3) of the tensile testing machine.

7.1.6 Operate the tensile testing machine so that the jaws separate at a rate of (100 ± 10) mm/min until the fastener fails.

7.1.7 Record the maximum force obtained, in Newtons, and the type of failure of the fastener such as: end stop pulled off, puller detached, puller broken.

7.1.8 Repeat the procedure in 7.1.2 to 7.1.7 on the two remaining slide fasteners.

7.1.9 Calculate the arithmetic mean of the three maximum forces recorded in 7.1.7.

7.2 Method 2 — Bottom stop attachment strength (Stringer-slider method)

7.2.1 Fit the hook attachment (5.2) into the upper jaw of the tensile testing machine (5.1) and zero the force measurement system (5.1.2).

7.2.2 Open a test fastener so that the slider is against the bottom stop. If the slider is fitted with a locking mechanism, it should be jammed in the off position so that the slider will move freely.

7.2.3 Thread the hook attachment (5.2) through the hole in the puller of the open fastener.

7.2.4 Clamp the two free ends of the stringers in the lower jaw of the tensile testing machine. If possible, the stringers should be clamped at a point approximately 75 mm from the slider. Surplus stringer may be cut away if necessary.

7.2.5 Follow the procedure in 7.1.5 to 7.1.7.

7.2.6 Repeat the procedure in 7.2.2 to 7.2.5 on the two remaining slide fasteners.

7.2.7 Calculate the arithmetic mean of the three maximum forces recorded in 7.1.7.

7.3 Method 3 — Bottom stop attachment strength (Stringer-stringer method)

7.3.1 Open a test fastener so that the slider is against the bottom stop. If the slider is fitted with a locking mechanism, it should be jammed in the off position so that the slider will move freely.

7.3.2 Clamp one of the free ends of the stringer into each of the jaws of the tensile testing machine. If possible, leave approximately 100 mm of each stringer between the jaws and the slider. Surplus stringer may be cut away if necessary.

7.3.3 Follow the procedure in 7.1.5 to 7.1.7.

7.3.4 Repeat the procedure in 7.3.1 to 7.3.3 on the two remaining slide fasteners.

7.3.5 Calculate the arithmetic mean of the three maximum forces recorded in 7.1.7.

8 Test report

The test report shall include the following information:

- a) reference to this International Standard (i.e. ISO 10750);
- b) full description of the samples tested;
- c) date of testing;
- d) the version of the test used: method 1, method 2, or method 3;
- e) the arithmetic mean of the maximum forces and the type(s) of failure;
- f) any deviations from this test method.

Bibliography

- [1] ISO 17709, *Footwear — Sampling location, preparation and duration of conditioning of samples and test pieces*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.
- Standards purchased in hard copy format:
 - A British Standard purchased in hard copy format is for personal or internal company use only.
 - It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions. With British Standards Online (BSOL) you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a BSI Subscribing Member. PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a Multi-User Network Licence (MUNL) you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email subscriptions@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision. We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services
Tel: +44 345 086 9001
Email (orders): orders@bsigroup.com
Email (enquiries): cservices@bsigroup.com

Subscriptions
Tel: +44 345 086 9001
Email: subscriptions@bsigroup.com

Knowledge Centre
Tel: +44 20 8996 7004
Email:
knowledgecentre@bsigroup.com

Copyright & Licensing
Tel: +44 20 8996 7070
Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

This page deliberately left blank