

BS ISO 19632:2015



BSI Standards Publication

**Aerospace series — Fitting end,
24° internal cone, external
thread, flareless type extra
fine thread pitch inch series —
Design standard**

bsi.

...making excellence a habit.™

INTERNATIONAL
STANDARD

ISO
19632

First edition
2015-07-15

**Aerospace series — Fitting end,
24° internal cone, external thread,
flareless type extra fine thread pitch
inch series — Design standard**

*Série aérospatiale — Raccord, cône interne à 24°, filetage externe,
de type sans épanoui, filetage à pas extra fin, série inch — Norme
de conception*



Reference number
ISO 19632:2015(E)

© ISO 2015



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Required characteristics — Configuration, dimensions and tolerances	1
4 Designation	7

Licensed copy: IP Login, University of Exeter, Version correct as of 15/04/2016

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 20, *Aircraft and space vehicles*, Subcommittee SC 10, *Aerospace fluid systems and components*.

Introduction

International Standards use the International system of units (SI); however, large segments of the aerospace industry make use of other measurement systems as a matter of common working practice.

All dimensions and units used in this International Standard are given in SI units, with other units also indicated for the convenience of the user.

The decimal sign used in International Standards is the comma (","); however, the comma is not used in common working practice with non-SI dimensions. Therefore, in common with many other aerospace standards, the decimal point (".") is used in this International Standard when providing dimensions in inch-pound units.

NOTE The use of non-SI units and the decimal point in this International Standard does not constitute general acceptance of measurement systems other than SI within International Standards.

Aerospace series — Fitting end, 24° internal cone, external thread, flareless type extra fine thread pitch inch series — Design standard

1 Scope

This International Standard specifies the dimensions, tolerances and the required characteristics of a fitting end, 24° cone, external thread, flareless type, size -04 up to -20 for use in hydraulic and fluid systems at 35 000 kPa (5 080 psi), diameter $6,35 \text{ mm} \leq D \leq 31,75 \text{ mm}$ ($1/4 \text{ inch} \leq D \leq 1 \ 1/4 \text{ inch}$) for aerospace applications.

This is a design standard.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3161, *Aerospace — UNJ threads — General requirements and limit dimensions*


3 Required characteristics — Configuration, dimensions and tolerances

The configuration, dimensions and tolerances shall conform with [Figure 1](#) to [Figure 5](#), [Table 1](#) and [Table 2](#).

Dimensions and tolerances are expressed in millimetres (inch).

Unless otherwise specified, the following tolerances are applicable:

- Linear dimensions: $\pm 0,25 \text{ mm}$ ($\pm 0.010 \text{ inch}$)
- Angular dimensions: $\pm 0^\circ 30'$



Key

- 1 gauge point
- a This style may have an optional undercut as shown in [Figure 2](#).
- b See [Figure 4](#) or [Figure 5](#).
- c Two incomplete threads max., root radius not required.
- d Thread T as per ISO 3161.
- e Sealing surface.

Figure 1 — Configuration, dimensions and tolerances of fitting end design, style G

Style G is not an appropriate configuration for port fitting.




Figure 2 — Configuration, dimensions and tolerances of fitting end design, style B (same as style G except as shown)

Style B is not an appropriate configuration for port fitting.





Figure 3 — Configuration, dimensions and tolerances of fitting end design, style E (same as style G except as shown)


Style E is an appropriate configuration for port fitting.



Key

1 gauge point

Figure 4 — Configuration, dimensions and tolerances of fitting end design



Key

1 gauge point

Figure 5 — Configuration, dimensions and tolerances of fitting end design, optional style F

Style F is not an appropriate configuration for port fitting.

Table 1 — Dimensions and tolerances

Diameter code no.	T thread ISO 3161 class 3A	Ø A ± 0,08 (± 0.003)	Ø B GAGE	Ø C REF.	Ø D + 0,10 0 (+ 0.004) (0)	Ø F + 0,10 - 0,08 (+ 0.004) (- 0.003)	G min.	H ± 0,08 (± 0.003)	J ± 0,25 (± 0.010)	L ± 0,08 (± 0.003)	N + 0,38 0 (+ 0.015) (0)	Ø Y ± 0,25 (± 0.010)
04	0.4375-28UNJEF	4,75 (0.187)	7,442 (0.2930)	8,10 (0.319)	6,63 (0.261)	9,63 (0.379)	11,25 (0.443)	5,94 (0.234)	11,51 (0.453)	1,52 (0.060)	1,91 (0.075)	9,27 (0.365)
06	0.5625-24UNJEF	7,54 (0.297)	10,566 (0.4160)	11,20 (0.441)	9,80 (0.386)	12,62 (0.497)	11,66 (0.459)	6,35 (0.250)	11,91 (0.469)	1,45 (0.057)	2,11 (0.083)	12,19 (0.480)
08	0.7500-20UNJEF	10,72 (0.422)	14,224 (0.5600)	15,27 (0.601)	13,06 (0.514)	17,12 (0.674)	14,02 (0.552)	7,75 (0.305)	14,27 (0.562)	2,41 (0.095)	2,39 (0.094)	16,76 (0.660)
10	0.8750-20UNJEF	12,70 (0.500)	17,424 (0.6860)	18,47 (0.727)	16,28 (0.641)	20,29 (0.799)	15,62 (0.615)	8,89 (0.350)	15,87 (0.625)	2,46 (0.097)	2,72 (0.107)	19,68 (0.775)
12	1.0625-18UNJEF	16,66 (0.656)	20,574 (0.8100)	21,64 (0.852)	19,46 (0.766)	24,66 (0.971)	17,22 (0.678)					24,00 (0.945)
16	1.3125-16UNJ	22,22 (0.875)	26,975 (1.0620)	27,99 (1.102)	25,81 (1.016)	31,01 (1.221)	17,22 (0.678)	10,54 (0.415)	17,47 (0.688)	2,36 (0.093)	3,18 (0.125)	30,35 (1.195)
20	1.6250-16UNJ	27,76 (1.093)	33,426 (1.3160)	34,42 (1.355)	32,26 (1.270)	38,94 (1.533)	17,22 (0.678)			2,29 (0.090)		38,22 (1.505)

The diameter code no. is given in 1/16 inch of tube diameter.

For dimensions E see [Table 2](#).


Table 2 — Wrench pad dimensions

Size	E				Z MIN		Wrench inch	Fitting diameter code						
	mm	Tol. mm	inch	Tol. inch	mm	inch		04	06	08	10	12	16	20
07	11,11	+ 0,08 - 0,10	0.438	+ 0.003 - 0.004	10,77	0.424	7/16	R						
08	12,70		0.500		12,34	0.486	1/2	p						
09	14,29		0.563		13,94	0.549	9/16	p	R					
10	15,88		0.625		15,52	0.611	5/8	p	p					
11	17,46		0.688		17,12	0.674	11/16	p	p					
12	19,05		0.750		18,69	0.736	3/4	p	p	R				
13	20,64		0.813		20,29	0.799	13/16	p	p	p				
14	22,23		0.875		21,87	0.861	7/8	p	p	p	R			
15	23,81		0.938		23,47	0.924	15/16	p	p	p	p			
16	25,40		1.000		25,04	0.986	1"	p	p	p	p			
17	26,99		1.063		26,64	1.049	1" 1/16	p	p	p	p	R		
18	28,58		1.125		28,22	1.111	1" 1/8	p	p	p	p	p		
19	30,16		1.188		29,82	1.174	1" 3/16	p	p	p	p	p		
20	31,75		1.250		31,39	1.236	1" 1/4	p	p	p	p	p		
21	33,34		1.313		32,99	1.299	1" 5/16	p	p	p	p	p	R	
22	34,93		1.375		34,57	1.361	1" 3/8	p	p	p	p	p	p	
23	36,51		1.438		36,17	1.424	1" 7/16	p	p	p	p	p	p	
24	38,10		1.500		37,74	1.486	1" 1/2	p	p	p	p	p	p	
25	39,69		1.563		39,34	1.549	1" 9/16	p	p	p	p	p	p	
26	41,28		± 0,25		1.625	± 0.010	40,77	1.605	1" 5/8	p	p	p	p	p
27	42,86	1.688		42,37	1.668		1" 11/16	p	p	p	p	p	p	p
28	44,45	1.750		43,94	1.730		1" 3/4	p	p	p	p	p	p	p
29	46,04	1.813		45,54	1.793		1" 13/16	p	p	p	p	p	p	p
30	47,63	1.875		47,12	1.855		1" 7/8	p	p	p	p	p	p	p
31	49,21	1.938		48,72	1.918		1" 15/16	p	p	p	p	p	p	p
32	50,80	2.000		50,29	1.980		2"	p	p	p	p	p	p	p

R = Recommended for weight saving
 p = Possible use

4 Designation

EXAMPLE



British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email bsmusales@bsigroup.com.

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Copyright

All the data, software and documentation set out in all British Standards and other BSI publications are the property of and copyrighted by BSI, or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use. Except as permitted under the Copyright, Designs and Patents Act 1988 no extract may be reproduced, stored in a retrieval system or transmitted in any form or by any means – electronic, photocopying, recording or otherwise – without prior written permission from BSI. Details and advice can be obtained from the Copyright & Licensing Department.

Useful Contacts:

Customer Services

Tel: +44 845 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 845 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com