



BSI Standards Publication

## Asparagus — Specification and test methods

---

## National foreword

This British Standard is the UK implementation of [ISO 20981:2020](#).

The UK participation in its preparation was entrusted to Technical Committee AW/21, Fruit and vegetables juices.

A list of organizations represented on this committee can be obtained on request to its committee manager.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020  
Published by BSI Standards Limited 2020

ISBN 978 0 580 99591 0

ICS 67.080.20

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 August 2020.

### Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

INTERNATIONAL  
STANDARD

ISO  
20981

First edition  
2020-08-11

---

---

Asparagus — Specification and  
test methods

*Asperges — Spécifications et méthodes d'essai*



Reference number  
ISO 20981:2020(E)



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2020, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO’s member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
[copyright@iso.org](mailto:copyright@iso.org)  
[www.iso.org](http://www.iso.org)



<b>Contents</b>		Page
<b>Foreword</b> .....		<b>iv</b>
<b>Introduction</b> .....		<b>v</b>
<b>1</b>	<b>Scope</b> .....	<b>1</b>
<b>2</b>	<b>Normative references</b> .....	<b>1</b>
<b>3</b>	<b>Terms and definitions</b> .....	<b>1</b>
<b>4</b>	<b>Description</b> .....	<b>1</b>
<b>5</b>	<b>Classification and requirements</b> .....	<b>1</b>
5.1	General .....	1
5.2	Classification .....	2
5.2.1	Groups .....	2
5.2.2	Classes .....	2
5.2.3	Sizes .....	2
5.3	Requirements .....	2
5.3.1	General requirements .....	2
5.3.2	Group requirements .....	3
5.3.3	Class requirements .....	3
5.3.4	Size requirements .....	4
<b>6</b>	<b>Tolerances</b> .....	<b>4</b>
6.1	General .....	4
6.2	Group tolerances .....	4
6.3	Class tolerances .....	5
6.3.1	Extra class .....	5
6.3.2	Class I .....	5
6.3.3	Class II .....	5
6.4	Size tolerances .....	5
<b>7</b>	<b>Sampling</b> .....	<b>5</b>
<b>8</b>	<b>Requirements for contaminants</b> .....	<b>5</b>
<b>9</b>	<b>Test methods</b> .....	<b>6</b>
9.1	General .....	6
9.2	Determination of titratable acidity .....	6
9.3	Determination of water-insoluble solids .....	6
9.4	Determination of mineral impurities content .....	6
9.5	Determination of pH .....	6
9.6	Determination of soluble solids content .....	6
<b>10</b>	<b>Packaging and marking</b> .....	<b>6</b>
10.1	Packaging .....	6
10.2	Marking .....	6
<b>11</b>	<b>Storage and transportation</b> .....	<b>7</b>
<b>12</b>	<b>Hygiene contaminants and pesticides residues</b> .....	<b>7</b>
<b>Bibliography</b> .....		<b>8</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 34, *Food products*, Subcommittee SC 3, *Fruits, vegetables and their derived products*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).



## Introduction

Asparagus is an ancient crop, native to the eastern Mediterranean and Asia Minor, and first cultivated by the Romans. Popular in sixteenth century France and England, it made its way to America through the colonists. A member of the lily family, it has great nutritional value. It is low in calories and very low in sodium. Asparagus is a particularly good source of vitamin B6, calcium, magnesium, zinc, vitamin A, vitamin C, vitamin E, vitamin K, thiamin, riboflavin, rutin, niacin, folic acid, iron, phosphorus, potassium, copper, manganese, selenium, chromium, dietary fibre and protein. Asparagus spears can be eaten raw or cooked.

Asparagus, *Asparagus officinalis*, is an herbaceous perennial plant in the family Asparagaceae, which is grown for its young shoots, or spears, which are eaten as a vegetable. The asparagus plant is tall with scale-like leaves emerging from the underground stem (rhizome) and has stout stems and feathery foliage. The flowers are bell-shaped and occur alone or in pairs. They are green-white to yellow in colour. After flowering, a round red berry is formed with one to six black seeds. Asparagus can live for 20 or more years and can attain a height of between 100 cm to 150 cm. Asparagus originates from Europe, northern Africa and western Asia.





# Asparagus — Specification and test methods

## 1 Scope

This document specifies requirements and test methods for fresh asparagus shoots of commercial varieties of asparagus grown from *Asparagus officinalis* L., of the Liliaceae family, offered to consumers after preparation and packaging.

This document is applicable to all asparagus except green and violet/green asparagus with a diameter less than 3 mm and white and violet asparagus with a diameter less than 8 mm, packed in uniform bundles or unit packages.

This document does not apply to processed asparagus.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 874, *Fresh fruits and vegetables — Sampling*

[ISO 2859-1](#), *Sampling procedures for inspection by attributes — Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection*

ISO 4186, *Asparagus — Guide to storage*

ISO 6882, *Asparagus — Guide to refrigerated transport*

CXC 44-1995, *Code of Practice for Packaging and Transport of Fresh Fruit and Vegetables*

## 3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

## 4 Description

Asparagus shoots are subsoil, surface soil suckers and shoots of commercial varieties of asparagus grown from *Asparagus officinalis* L. of the Liliaceae family, to be supplied fresh to the consumer, after preparation and packaging.

## 5 Classification and requirements

### 5.1 General

Asparagus are divided into groups according to their colour (see [5.2.1](#)), divided into classes according to their quality characteristics and diameter (see [5.2.2](#)) and divided into sizes according to their length (see [5.2.3](#)).



When asparagus are packaged in a bunch, to ensure a sleek appearance, the outer surfaces of the suckers' end parts shall be trimmed as clean as possible.

5.3.2 Group requirements

The features of the four colour groups are:

- white: completely white;
- violet: purple, pink to purple tips;
- violet/green: part of both green and violet;
- green: ends and a portion of green.

5.3.3 Class requirements

5.3.3.1 General

The minimum diameters for different classes of asparagus are given in [Table 1](#).

Table 1 — Minimum diameter values according to group and class

Group	Class	Diameter (mm) minimum	Explanation
White and violet	Extra	12	Difference between the diameter of the asparagus in the same package or bundle of asparagus shall not be more than 8 mm.
	Class I	10	The difference between Class I in the same package or bundle of asparagus shall not be more than 10 mm in diameter.
	Class II	8	No uniformity requirement.
Violet/green and green	Extra and Class I	3	The difference between the diameter of the asparagus Extra and Class I in the same package or bundle of asparagus shall not be more than 8 mm.
	Class II	3	No uniformity requirement.

5.3.3.2 Extra class

Shoots in this class shall be of superior quality, very well formed and practically straight. This class shall have a unique colour. They shall be intact. The tips shall be very tight and in a closed state. The external appearance of the product shall have no defects. The packaging shall not affect the presentation and quality of ingredients.

Only a few very slight traces of rust caused by non-pathogenic agents on the shoot, removable by normal peeling by the consumer, are allowed.

For the white asparagus group, the tips and shoots shall be white; only a faint pink tint is allowed on the shoots. Green asparagus shall be green for at least 95 % of the length.

The cut at the base of the shoots shall be as square as possible. However, to improve presentation when the asparagus is packed in bundles, those on the outside may be slightly bevelled, so long as the bevelling does not exceed 1 cm.

Asparagus of this class shall show no sign of lignification.



### **5.3.3.3 Class I**

Shoots in this class shall be of good quality and well formed. These shall bear the characteristics of the group, such as the unique colour, and they shall also be well developed and whole. The ends shall be tight and closed but may be slightly skewed. Slight rust traces, which can be removed by regular peeling, are allowed.

For the white asparagus group, a faint pink tint may appear on the tips and the shoots. Woody suckers shall not be present in white asparagus. Slight lignification signs, which can be removed by regular peeling by consumers, are allowed in other colour groups of asparagus.

Green asparagus shall be green for at least 80 % of the length.

The cut at the base of the shoots shall be as square as possible.

### **5.3.3.4 Class II**

This class includes shoots which are not included in the other classes due to their quality fall into this class but satisfy the minimum requirements specified in [5.3.1](#).

Asparagus in this class are less smooth than the other classes. They have less tight and more curved ends. There can be slight rust traces caused by non-pathogenic agents, which can be removed by regular peeling by consumers. Suckers can have a slight woody structure.

The tips of violet asparagus can be slightly green. At least 60 % of the total length of green asparagus shall be green. The tips of white asparagus can have a colouration including a green tint.

The cut at the base of the shoots can be slightly oblique.

### **5.3.4 Size requirements**

Asparagus are divided into three size groups:

- long: longer than 17 cm;
- short: 12 cm to 17 cm;
- tip: shorter than 12 cm.

Class II asparagus placed into packages shall have the following specifications:

- white and violet asparagus shall be between 12 cm and 22 cm in length;
- green asparagus shall be between 12 cm and 27 cm in length.

Length difference shall be 5 cm at most for packaged sucker bunches.

## **6 Tolerances**

### **6.1 General**

Tolerances in respect of quality and size shall be allowed in each package for produce not satisfying the requirements of the class indicated.

### **6.2 Group tolerances**

The contents of each package, each unit package or each bundle in the same package shall be uniform and contain only asparagus of the same origin, quality, colour group and size (if sized).



Nevertheless, with respect to colour, shoots of a different colour group may be allowed within the following limits:

- a) white asparagus: 10 % by number or weight of violet asparagus in the Extra class and Class I, and 15 % in Class II;
- b) violet, violet/green and green asparagus: 10 % by number or weight of asparagus of another colour group.

For Class II, a mixture of white and violet asparagus is allowed provided it is appropriately marked.

The visible part of the contents of the package, unit package or bundle shall be representative of the entire contents.

## 6.3 Class tolerances

### 6.3.1 Extra class

The tolerance is 5 % by number or mass of shoots not satisfying the requirements of the class, but meeting those of Class I or, exceptionally, coming within the tolerances of that class, or having slight unscarred cracks appearing after harvesting.

### 6.3.2 Class I

The tolerance is 10 % by number or mass of shoots not satisfying the requirements of the class, but meeting those of Class II or, exceptionally, coming within the tolerances of that class, or having slight unscarred cracks appearing after harvesting.

### 6.3.3 Class II

The tolerance is 10 % by number or mass of shoots satisfying neither the requirements of the class nor the minimum requirements, with the exception of produce affected by rotting or any other deterioration rendering it unfit for consumption. In addition to the above, 10 % by number or mass can be allowed for hollow shoots or shoots showing very slight cracks due to washing. In no case can there be more than 15 % hollow shoots in each package or bundle.

## 6.4 Size tolerances

For all classes, the tolerance is 10 % by number or mass of shoots not corresponding to the size indicated and deviating from the specified limits with a maximum deviation of 1 cm in length. For all classes, the tolerance is 10 % by number or mass of shoots not corresponding to the size indicated and deviating from the specified limits with a maximum deviation of 2 mm in diameter. In no case shall the diameter be less than 3 mm.

## 7 Sampling

Samples are taken from the lot. Asparagus with the same group, class, size, packaging and same inspection time is considered as a lot. It is important that the laboratory receives a sample that is truly representative and has not been damaged during storage and transportation.

Sampling shall be done in accordance with [ISO 2859-1](#) and ISO 874.

## 8 Requirements for contaminants

The maximum level for contaminants shall be:

- cadmium: 0,1 mg/kg;



— lead: 0,1 mg/kg.

## **9 Test methods**

### **9.1 General**

The organoleptical and visual inspections, sniffing, tasting, weighing and measuring of the asparagus should be done upon the request of the customer.

If necessary, analyses given in [9.2](#) to [9.6](#) should also be done.

### **9.2 Determination of titratable acidity**

The titratable acidity value of the samples can be determined in accordance with ISO 750.

### **9.3 Determination of water-insoluble solids**

The water-insoluble solids of the samples can be determined in accordance with ISO 751.

### **9.4 Determination of mineral impurities content**

The mineral impurities content of the samples can be determined in accordance with [ISO 762](#).

### **9.5 Determination of pH**

The pH value of the samples can be determined in accordance with ISO 1842.

### **9.6 Determination of soluble solids content**

The soluble solids content of the samples can be determined in accordance with [ISO 2173](#).

## **10 Packaging and marking**

### **10.1 Packaging**

Asparagus shall be packed in such a way as to protect the produce properly. The materials used inside the package shall be clean, and of such a quality as to avoid causing any external or internal damage to the produce. The use of materials, particularly of paper or stamps bearing trade specifications, is allowed, provided the printing or labelling has been done with non-toxic ink or glue.

Packages shall be free of all foreign matter.

Asparagus shall be bundled or packaged in bulk. When packaged into bundles, they are bound tightly into bundles, each bundle is wrapped in packing paper and is properly stacked. When packaged in bulk, the packaging is put into bundles without a lining.

Asparagus shall be packed in each container in accordance with the recommended international Code of Practice for Packaging and Transport of Fresh Fruit and Vegetables (CXC 44-1995).

### **10.2 Marking**

The container and case shall be marked or labelled with the following:

- a) the name of the product or variety, and the trademark or brand name, if any;
- b) the name and address of the producer or packer;

- c) the code or lot number;
- d) the net mass or gross mass (according to the request of the importing country);
- e) the class of product;
- f) the producing country;
- g) the expiry date (optional);
- h) any other marking required by the purchaser, such as the year of harvest and date of packing (if known);
- i) a reference to this document, i.e. ISO 20981 (optional).

## **11 Storage and transportation**

Processing, packaging, storage areas and transport vehicles shall be free from bad odour that could affect the produce.

Asparagus in packages shall be kept in the shade. They shall not be left in the rain or cold and or be allowed to freeze. They shall not be loaded and unloaded in these conditions.

The storage and transport of asparagus shall be done in accordance with ISO 4186, ISO 6882 and the recommended international Code of Practice for Packaging and Transport of Fresh Fruit and Vegetables (CXC 44-1995).

## **12 Hygiene contaminants and pesticides residues**

Asparagus should be prepared in accordance with the appropriate sections of CXC 1-1969<sup>[7]</sup>.

For contaminants and pesticides residues, it is recommended to refer to CXC 193-1995<sup>[8]</sup> and the pesticides residues database<sup>[10]</sup> as applicable to the product.



## Bibliography

- [1] ISO 750, *Fruit and vegetable products — Determination of titratable acidity*
- [2] ISO 751, *Fruit and vegetable products — Determination of water-insoluble solids*
- [3] [ISO 762](#), *Fruit and vegetable products — Determination of mineral impurities content*
- [4] ISO 1842, *Fruit and vegetable products — Determination of pH*
- [5] [ISO 2173](#), *Fruit and vegetable products — Determination of soluble solids — Refractometric method*
- [6] UNECE Standard FFV-04 Concerning the marketing and commercial quality control of Asparagus, 2010
- [7] CXC 1-1969, *General Principles of Food Hygiene*
- [8] CXC 193-1995, *General Standard for Contaminants and Toxins in Food and Feed*
- [9] CXC 225-2001, *Standard for Asparagus*
- [10] Codex Pesticides Residues in Food Online Database. Available at <http://www.fao.org/fao-who-codexalimentarius/codex-texts/dbs/pestres/en/>





# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](https://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](https://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

## Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than one device provided that it is accessible by the sole named user only and that only one copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than one copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

## Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright and Licensing team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](https://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](https://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [cservices@bsigroup.com](mailto:cservices@bsigroup.com).

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Useful Contacts

### Customer Services

**Tel:** +44 345 086 9001

**Email:** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 345 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

