



BSI Standards Publication

Exchange of information on rare earth elements in industrial wastes and end-of-life cycled products

National foreword

This British Standard is the UK implementation of ISO 22453:2021.

The UK participation in its preparation was entrusted to Technical Committee REI/1, Rare Earths.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2021
Published by BSI Standards Limited 2021

ISBN 978 0 580 99348 0

ICS 13.030.30; 13.030.50

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2021.

Amendments/corrigenda issued since publication

| Date | Text affected |
|------|---------------|
|------|---------------|

INTERNATIONAL
STANDARD

ISO
22453

First edition
2021-06-16

**Exchange of information on rare earth
elements in industrial wastes and end-
of-life cycled products**

*Échange de données sur les éléments de terres rares dans les déchets
industriels et les produits en fin de vie en vue de leur recyclage*



Reference number
ISO 22453:2021(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

| Contents | | Page |
|--|--|-------------|
| Foreword | | iv |
| Introduction | | v |
| 1 Scope | | 1 |
| 2 Normative references | | 1 |
| 3 Terms and definitions | | 1 |
| 4 General principles | | 2 |
| 5 Generic life cycle of the REE recycling process | | 2 |
| 6 Labelling methods | | 3 |
| 6.1 General | | 3 |
| 6.2 QR codes | | 3 |
| 6.3 RFID | | 4 |
| 7 Label contents | | 4 |
| 8 Data exchange | | 4 |
| Annex A (informative) Measurement example | | 5 |
| Bibliography | | 6 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 298, *Rare earth*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

Rare earth elements (REEs) have become essential for a wide range of industrial applications including electric vehicles, batteries, smartphones, displays, transparent lenses, optical fibre and so on. Due to these varied, important applications, REEs are referred to as "vitamins of industry". In order to ensure the successful use of these vitamins, supply to the industry should be smooth. However, resource scarcity creates an imbalance between supply and demand. Therefore, the importance of REEs is increasingly significant. In order to overcome resource scarcity, the recycling or urban mining of industrial waste and end-of-life (EOL) cycle products is necessary.

For recyclers, it is of utmost importance to know what kind of REEs are present in the waste or scrap material, and how much can be extracted. In order to facilitate recycling, it is important to define what information is required by the recycler, and to establish a standard method of information exchange on REEs in industrial waste and EOL products.

Due to the lack of a standardized system and communication exchange mechanism between waste handlers and recyclers, the ability to recycle currently lags behind what it should be. There are many producers of the same product, but compositions and concentrations are different, which makes it difficult and complicated for recyclers to obtain exact information about the elements being recycled. Furthermore, if the producer and the recycler are located in different countries, information reliability and cross-border transaction of information exchange is problematic. Therefore, a system of information exchange between the waste handler and the recycler is needed.

This document contains a system of information exchange between waste handlers and recyclers about REEs in industrial waste and EOL products. The system of information exchange involves a data exchange mechanism such as quick response (QR) codes and radio frequency identification (RFID).

Exchange of information on rare earth elements in industrial wastes and end-of-life cycled products

1 Scope

This document specifies methods of information exchange between waste handlers and recyclers for rare earth elements (REEs) contained in industrial waste and end-of-life (EOL) products. This document facilitates the efficient recycling of REEs so that dependency on mining can be reduced by promotion of REE recycling.

This document also includes a generic life cycle of the REE recycling process.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 22444-1, *Rare earth — Vocabulary — Part 1: Minerals, oxides and other compounds*

ISO 22444-2, *Rare earth — Vocabulary — Part 2: Metals and their alloys*

ISO 22450, *Recycling of rare earth elements — Requirements for providing information on industrial waste and end-of-life products*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 22444-1, ISO 22444-2, ISO 22450 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

industrial waste

waste produced by industrial activity, which includes any material that is rendered useless during a manufacturing process such as that of factories and industries

Note 1 to entry: Industrial waste originates from downstream processing operations of manufacturing industries. In this document, downstream operations refer to processes during the production stages such as machining, milling, chamfering, etc.

SOURCE: ISO 22450:2020, 3.5, modified — “mining and milling operations” has been deleted from the definition and Note 1 to entry has been replaced.]

3.2

life cycle

consecutive and interlinked stages of a product system, from raw material acquisition or generation from natural resources to final disposal

[SOURCE: ISO 14040:2006, 3.1, modified — “of a product system” has been added.]




Figure 1 — Generic life cycle of REE recycling

6 Labelling methods

6.1 General

There are many different types of labelling methods, including barcodes and RFID. One-dimensional (1D) barcodes are simple and widely used for providing information for products. However, they can represent only a small amount of data. In comparison, two-dimensional (2D) barcodes and RFID can include lots of data. Therefore, this document specifies the use of 2D barcodes, specifically QR codes and RFID, to record REE information.

6.2 QR codes

2D barcodes are a type of printable label with a low cost and a high storage capacity. There are several kinds of 2D barcodes including QR codes, PDF417, DataMatrix and MaxiCode. The specifications state that up to 2 900 bytes and 4 200 ASCII characters can be encoded in a single symbol.

QR codes are the most suitable and efficient method for storing REE information due to their larger capacity for recording data and error correction function. QR creation and reading tools are commonly available and the cost of creation is very low to negligible. They have readability in different orientations, good processing speed, high durability against damage and a sufficient lifetime. Furthermore, they

have almost no environmental impact and they can direct a user to online content. Their large storage capacity is particularly useful in this context, since there are 17 REEs plus numerous variables such as the name of the supplier, etc. (see [Clause 7](#)). All these data can easily be incorporated into a QR code.

6.3 RFID

RFID tags contain an integrated circuit for storing and processing information. The tags contain the information in a non-volatile memory and can be read at a distance of hundreds of metres from the RFID reader, depending on the type of tag. RFID uses electromagnetic fields to identify RFID tags. Thus, unlike 2D barcodes, they do not need to be within the line of sight of the reader. Like QR codes, RFID tags can be read in different orientations and have a good processing speed. Although they are more expensive to create than QR codes, RFID tags have the function of real-time location tracking and are well suited to cylindrical objects.

7 Label contents

The label shall contain REE information in accordance with ISO 22450. This will reduce the time, energy and money spent on confirming the economic efficiency of recycling. The summarized REE information shall be encoded in plain text where a declaration of composition is not mandatory. The label, as illustrated in [Annex A](#), shall contain the following information:

- a) 1st row: "Name of the supplier, manufacturer or producer", which is provided to maintain the reliability of the information;
- b) 2nd row: "Name of the product", which gives information about any possible contamination of the REE product located inside the whole product;
- c) 3rd row: "Gross mass of the shipment"; if available, the gross mass of REE should also be provided;
- d) 4th row: "Physical form of the product", since this is an important parameter in deciding the recycling route for REE;
- e) 5th row: "Method of storage";
- f) 6th row: "Date of production", which is provided to improve quality control;
- g) 7th row: "Country and region" which is also provided to improve quality control since geological and climate conditions play a key role in deciding the amount of REE left for recycling;
- h) 8th row: "Production method", since compositions and recycling methods can be dependent on the production method;
- i) 9th row: "WRE code", which is the waste rare earth (WRE) product classification code in accordance with ISO 22450:2020, Clause 5, Table 2;
- j) 10th row: "Batch number".

8 Data exchange

Information on REEs in industrial waste and EOL products should be communicated to recyclers and policymakers involved in REEs. This information, except for the composition declaration, shall be recorded in the QR code in accordance with ISO 22450 by the waste handlers of industrial waste and EOL products. Waste handlers may also share the complete information in accordance with ISO 22450, i.e. including a composition declaration; however, this is not mandatory. Recyclers can then access it by scanning the QR code.

Annex A (informative)

Measurement example

[Figure A.1](#) gives a hypothetical example of a QR code for an EOL sintered magnet to be attached to the shipment box. This QR code contains 262 characters including spaces and represents 284 bytes.



Figure A.1 — Example of a QR code for an EOL sintered magnet

Scanning the QR code in [Figure A.1](#) provides the following example information:

| | |
|---|-----------------------|
| Name of the supplier, manufacturer or producer: | ABC |
| Name of the product: | Sintered magnet waste |
| Gross mass of the shipment (in kg): | 100 |
| Physical form of the product: | Solid |
| Method of storage: | Unidentified |
| Date of production (YYYY-MM-DD): | 2020-10-24 |
| Country and region: | South Korea, Incheon |
| Production method: | Sintered |
| WRE code: | WRE0101 |
| Batch number: | 901018 |

Bibliography

- [1] [ISO 14040:2006](#), *Environmental management — Life cycle assessment — Principles and framework*
- [2] ISO 14009:2020, *Environmental management systems — Guidelines for incorporating material circulation in design and development*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than one device provided that it is accessible by the sole named user only and that only one copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than one copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright and Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email cservices@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email: cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK