



BSI Standards Publication

**Ships and marine technology —
Performance test procedures for LNG fuel
gas supply systems (FGSS) for ships**

National foreword

This British Standard is the UK implementation of ISO 22548:2021.

The UK participation in its preparation was entrusted to Technical Committee SME/32, Ships and marine technology - Steering committee.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2021
Published by BSI Standards Limited 2021

ISBN 978 0 580 98594 2

ICS 47.020.99

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2021.

Amendments/corrigenda issued since publication

| Date | Text affected |
|------|---------------|
|------|---------------|

**Ships and marine technology —
Performance test procedures
for LNG fuel gas supply systems
(FGSS) for ships**

*Navires et technologie maritime — Procédures d'essais de
performance des systèmes d'alimentation en gaz combustible GNL
(FGSS) pour navires*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2021, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

| Contents | | Page |
|--|--|-----------|
| Foreword | | iv |
| Introduction | | v |
| 1 Scope | | 1 |
| 2 Normative references | | 1 |
| 3 Terms and definitions | | 1 |
| 4 Test arrangement | | 2 |
| 4.1 Test preparation | | 2 |
| 4.2 Test fluid | | 3 |
| 4.3 Test parameters | | 3 |
| 5 Test procedure | | 4 |
| 5.1 Safety test | | 4 |
| 5.1.1 Test of e.g. alarm and safety devices | | 4 |
| 5.1.2 Cryogenic function tests | | 4 |
| 5.1.3 ESD and blow down test | | 4 |
| 5.2 Performance test | | 4 |
| 6 Additional tests | | 5 |
| 6.1 Unit production test | | 5 |
| 6.2 Type test | | 6 |
| 6.3 Endurance test | | 6 |
| 7 Test report | | 6 |
| Annex A (informative) LNG fuel gas supply systems (FGSS) test report — Example | | 7 |
| Annex B (informative) Typical examples of LNG FGSS within the scope of the test | | 9 |
| Bibliography | | 12 |

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2. www.iso.org/directives

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received. www.iso.org/patents

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 8, *Ships and marine technology*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

In response to an increased number of ships using LNG fuel, the International Maritime Organization (IMO) adopted the IGF code that specifies mandatory requirements of the LNG fuel tank, LNG fuel engine, fuel gas supply system (FGSS), bunkering, control of safety system, monitoring, and fire extinguishing systems, etc. to ensure the safety of gas-fuelled ships.

The requirements of the IGF and IGC Codes apply to the design and manufacture of LNG FGSS. However, no widely recognized standards in terms of the performance testing of FGSS has yet been established; thus, FGSS is tested according to a case-by-case agreement between the buyer and the supplier. For this reason, there have been needs to develop a standard for performance test methods of FGSS commonly acceptable to all stakeholders (e.g. shipowners, classification societies, engine makers, shipyards, etc.).

In this context, this document sets up a performance test procedure for the LNG FGSS, which consists of equipment such as pumps, heat exchangers, valves, piping, etc. With this document, it is expected that i) the performance of LNG FGSS be identified from an objective point of view, ii) useful information be provided to all stakeholders, and iii) development of more reliable LNG FGSS be facilitated, thus contributing to the growth of relevant industries and benefiting all stakeholders.

In addition, as specific requirements from classification societies and/or administrations can apply to the LNG FGSS concerned, the buyer is expected to identify those before placing a purchase order. The supplier and the buyer are further expected to agree on any additional applicable requirements.

Ships and marine technology — Performance test procedures for LNG fuel gas supply systems (FGSS) for ships

1 Scope

This document specifies evaluation methods of characteristics such as pressure, flow rate, temperature and system stability of fuel gas supply systems (FGSS), which are manufactured to use vaporized liquefied natural gas (LNG) or boil-off gas as fuel gas supply to the vessel's gas consumers. It is applicable to evaluate the performance of the LNG FGSS: (1) prior to delivery or after installation on board a ship, and (2) to assure the system characteristics are taken into account for the entire gas consumers during ship's gas trial or sea trial.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IMO, *International Code for the Construction and Equipment of Ships carrying Liquefied Gases in Bulk (IGC Code)*

IMO, *International Code of Safety for Ships using Gases or other Low-flashpoint Fuels (IGF Code)*

3 Terms and definitions

For the purpose of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1

LNG fuel gas supply system

LNG FGSS

system that supplies gas fuel at the temperature, pressure and flow conditions required by the gas consumer, from the fuel tank(s) to the gas consumer, excluding the fuel tank(s), in-tank pump(s), tank ESD valve(s) and the master gas fuel valve(s) used to control the gas supply

3.2

maximum pressure

maximum operating pressure (MPa) measured during the test period

3.3


minimum pressure

minimum operating pressure (MPa) measured during the test period

3.4

pressure pulsation

pressure variation (MPa) during the test period, defined as the difference between the *maximum pressure* (3.2) and the *minimum pressure* (3.3)



Key

- 1 cryogenic tank
- 2 thermometer
- 3 pressure gauge
- 4 FGSS system
- 5 flowmeter
- 6 control valve

Figure 1 — Sample flow diagram of LNG FGSS test arrangement

Other systems such as EDS valve(s), blow down valve(s), etc., should be installed in appropriate locations.

NOTE Bunkering piping is excluded from the scope of the test.

4.2 Test fluid

As a principle, LNG shall be used as the medium to verify the performance of the FGSS.

A medium other than LNG, such as liquefied nitrogen or other fluids colder than the liquefied temperature of LNG, may be used to conduct the test as a reference to the performance of the FGSS, where the system and associated components have been designed for the same colder temperatures if LNG is not practical.

If a fluid other than LNG is used, correction values should be applied as set forth in [ISO 6976](#) (or equivalent standard) based on the actual testing result.

4.3 Test parameters

The test parameters listed in the example report of [Annex A](#), items 3 and 4, shall be measured and recorded during the test that shall be performed according to [Clause 5](#).

The data of pressure, flow rate and temperature of LNG FGSS shall be recorded in accordance with the FGSS clients' requirements, but in any case, no less frequently than once in every 5 s.

Ambient temperature and humidity shall be recorded before and during the test.

The measuring instruments used in the test shall be appropriately calibrated.

5 Test procedure

5.1 Safety test

5.1.1 Test of e.g. alarm and safety devices

It shall be confirmed that the alarm and safety devices, such as the ESD system, operation of valve(s), etc., are properly operative at ambient temperature and at the minimum working temperature.

The FGSS control system shall be connected and fully operative during the test.

5.1.2 Cryogenic function tests

The cryogenic function tests shall be carried out at the design temperature or lower before pressurizing the FGSS to the design pressure.

The cryogenic function tests shall include following:

- a) cryogenic mechanical operation test (e.g. valve operation, leakage verification, etc.);
- b) electrical integration test (control system) in cryogenic conditions.

5.1.3 ESD and blow down test

The normal operation of the ESD system shall be confirmed prior to the test set up. The test control system shall be able to shut down the ESD valves in the test setup and safely depressurize the piping system and return it to atmospheric pressure conditions by activating the blow down system. The piping system shall be pressurized with nitrogen prior to this test. This test shall confirm the test arrangement's capability to shut down (ESD system) and depressurize the FGSS to atmospheric pressure (blow down system) in case of emergency.

5.2 Performance test


The performance test of the FGSS shall be conducted as per the following load steps (refer also to [Figure 2](#)). A test report shall be produced based on the data recorded properly (at least once every 5 s) during the test, see example in [Annex A](#).

NOTE If agreed with the client, the testing time at each step can be longer than specified below.

If the FGSS has more than one supply pipe with different supply pressures, the performance of the FGSS shall be tested for each output separately. (See [Figure B.2](#) in [Annex B](#).)

- a) Adjust the discharge pressure of the system to the test pressure. Record the minimum flow rate.
- b) Increase the flow rate to 25 %. Upon reaching step 25 % of the test flow rate, maintain the state for 30 min. Record the measurement.
- c) Increase the flow rate up to 50 %. Upon reaching step 50 % of the test flow rate, maintain the state for 30 min. Record the measurement.
- d) Increase the flow rate up to 75 %. Upon reaching step 75 % of the test flow rate, maintain the state for 30 min. Record the measurement.
- e) Increase the flow rate up to 100 %. Upon reaching step 100 % of the test flow rate, maintain the state for 30 min. Record the measurement.
- f) Decrease the flow rate down to 75 % of the test flow rate, maintain the state for 30 min. Record the measurement.

- g) Decrease the flow rate down to 50 % of the test flow rate, maintain the state for 30 min. Record the measurement.
- h) Decrease the flow rate down to 25 % of the test flow rate, maintain the state for 30 min. Record the measurement.
- i) Decrease the flow rate down to the minimum test flow rate, maintain the state for 30 min. Record the measurement.



Key

- test pressure
- test flowrate
- f test flow rate, expressed in per cent
- p test pressure, expressed in per cent
- t testing time, expressed in minutes

Figure 2 — Sample of load steps

6 Additional tests

6.1 Unit production test

The individual FGSS shall be subject to the unit production test at the manufacturer's premises or at the site designated by the client.

In order to conduct the unit production test, a hydrostatic or pneumatic pressure test shall be conducted in addition to the tests in [Clause 5](#).

The extent of the unit production test should be agreed by the client. For example, the test items, upon agreement, may include measurement of e.g. vibration and noise level. Specific requirements in the IGC/IGF Codes and by classification societies or the administration apply to systems designed for marine use.

For type tested FGSS, the unit production test may be carried out for the following items instead of the tests specified in [Clause 5](#), if required by the client. The classification society and/or the administration can require otherwise.

- a) Hydrostatic or pneumatic pressure test at 1,5 times the design pressure.
- b) Performance of alarm and safety devices.
- c) If desired, additional tests as specified by the client may be carried out.

Test personnel should consider the risks of pneumatic testing versus hydrostatic testing when choosing the test methods.

6.2 Type test

The performance test for one of each model and capacity of the FGSS should be carried out in accordance with [Clause 5](#). The type testing is to represent typical foreseen service characteristics of the system.

Any additional tests, other than those in [Clause 5](#), should be carried out with the consent of the client. The classification society and/or the administration can require otherwise.

Prior to the type test, the classification society and/or the administration might need to approve the design in accordance with the applicable requirements.

Modifications of the design should require a new type test. However, in case of minor changes in non-essential components, a new type test may not be necessary upon the agreement with the client, unless otherwise specified as required by the classification society and/or the administration.

6.3 Endurance test

In addition to the performance test, an optional endurance test may be conducted to prove the endurance and stability to maintain the pressure and flow rate of the FGSS under the influence of the operation time and the different test conditions designated by the client.

7 Test report

Data such as discharge pressure, temperature and flow rate shall be measured and collected during the tests and recorded in the test report (see [Annex A](#)), with the performance curve of the LNG FGSS as shown in [Figure 2](#).

Annex A (informative)

LNG fuel gas supply systems (FGSS) test report — Example

Date: 0000.00.00

1. Specification of the FGSS

| | | | |
|--------------------|--|------------------|--|
| Project no. | | Manufactured by: | |
| Buyer | | Owner | |
| Type of FGSS | | Model number | |
| Design pressure | | Design flow rate | |
| Design temperature | | Design fluid | |

Additional details for individual components such as pumps, vaporizers, compressors, etc., and piping and instrumentation diagram (P&ID) to be attached.

2. Test conditions

| | | | |
|-----------------------|--|----------------|--|
| Test pressure (MPa) | | Test fluid | |
| Test flow rate (kg/h) | | Test time | |
| Test temperature (°C) | | Endurance test | |

3. Result of the safety test

| Tests | Result | Test temperature |
|---------------------------------------|-------------|------------------|
| Test of e.g. alarm and safety devices | Pass / Fail | Warm / Cold |
| Cryogenic function tests | Pass / Fail | Cold |
| Blow down test | Yes / No | |

4. Performance test

| Flow rate | Average pressure (MPa) | Max. pressure (MPa) | Min. pressure (MPa) | Pressure pulsation during stabilized state (MPa) | Pressure pulsation during the changes of load steps (MPa) | Average flow (kg/h) | Average temp. (°C) | Time between the load steps (Sec) | Ambient temp. (°C) |
|-----------|------------------------|---------------------|---------------------|--|---|---------------------|--------------------|-----------------------------------|--------------------|
| Min. flow | | | | | | | | | |
| 25 % | | | | | | | | | |
| 50 % | | | | | | | | | |
| 75 % | | | | | | | | | |
| 100 % | | | | | | | | | |
| 75 % | | | | | | | | | |
| 50 % | | | | | | | | | |
| 25 % | | | | | | | | | |
| Min. flow | | | | | | | | | |


5. Performance curve

Raw test data should be attached to this test report.

Annex B (informative)

Typical examples of LNG FGSS within the scope of the test

For low-pressure systems, see [Figure B.1](#).




Key

- 1 test scope
- 2 fuel tank
- 3 vaporizer
- 4 master gas fuel valve
- 5 gas consumer

Figure B.1 — Low pressure system

For high- and low-pressure combined systems, see [Figure B.2](#).




Key

- 1 test scope
- 2 fuel tank
- 3 LP vaporizer
- 4 HP vaporizer
- 5 master gas fuel valve
- 6 gas consumer

Figure B.2 — High- and low-pressure combined system

For FGSS using the BOG as fuel gas, see [Figure B.3](#).



Key

- 1 test scope
- 2 fuel tank
- 3 LP vaporizer
- 4 compressor
- 5 master gas fuel valve
- 6 gas consumer

Figure B.3 — FGSS using BOG as the fuel gas

Bibliography

- [1] [ISO 6976](#), *Natural gas — Calculation of calorific values, density, relative density and Wobbe indices from composition*
- [2] [ISO 15016](#), *Ships and marine technology — Guidelines for the assessment of speed and power performance by analysis of speed trial data*
- [3] ISO 19723-2, *Road vehicles-liquefied natural gas (LNG) fuel systems — Part2: Test methods*
- [4] ISO 24490, *Cryogenic vessels — Pumps for cryogenic service*
- [5] [IEC 62446](#), *Grid connected photovoltaic systems — Minimum requirements for system documentation, commissioning tests and inspection*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than one device provided that it is accessible by the sole named user only and that only one copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than one copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright and Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email cservices@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email: cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK