



BSI Standards Publication

**Rubber- or plastics-coated fabrics —  
Determination of resistance to ozone  
cracking under static conditions**

---

## National foreword

This British Standard is the UK implementation of [ISO 3011:2021](#). It supersedes [BS ISO 3011:1997](#), which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee PRI/70, Elastomeric seals for joints in pipework and pipelines.

A list of organizations represented on this committee can be obtained on request to its committee manager.

### Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2021  
Published by BSI Standards Limited 2021

ISBN 978 0 539 03422 6

ICS 59.080.40

**Compliance with a British Standard cannot confer immunity from legal obligations.**

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 July 2021.

### Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

---

---

---

**Rubber- or plastics-coated fabrics —  
Determination of resistance to ozone  
cracking under static conditions**

*Supports textiles revêtus de caoutchouc ou de plastique —  
Détermination de la résistance aux craquelures dues à l'ozone dans  
des conditions statiques*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2021, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

<b>Contents</b>		Page
<b>Foreword</b>		<b>iv</b>
<b>1</b>	<b>Scope</b>	<b>1</b>
<b>2</b>	<b>Normative references</b>	<b>1</b>
<b>3</b>	<b>Terms and definitions</b>	<b>1</b>
<b>4</b>	<b>Principle</b>	<b>1</b>
<b>5</b>	<b>Apparatus</b>	<b>2</b>
<b>6</b>	<b>Test pieces</b>	<b>2</b>
6.1	Type	2
6.2	Selection	2
6.3	Number	2
<b>7</b>	<b>Time intervals before testing</b>	<b>2</b>
<b>8</b>	<b>Test conditions</b>	<b>3</b>
8.1	Ozone concentration	3
8.2	Temperature	3
8.3	Relative humidity	3
8.4	Mounting of test pieces under stress and conditioning	3
<b>9</b>	<b>Procedure</b>	<b>3</b>
<b>10</b>	<b>Test report</b>	<b>4</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 45, *Rubber and rubber products*, Subcommittee SC 4, *Products (other than hoses)*.

This fourth edition cancels and replaces the third edition ([ISO 3011:1997](http://www.iso.org/iso/3011:1997)), which has been technically revised.

The main changes compared to the previous edition are as follows:

- [Clause 3](#) has been added;
- a subclause on relative humidity has been added.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

# Rubber- or plastics-coated fabrics — Determination of resistance to ozone cracking under static conditions

**WARNING** — Persons using this document should be familiar with normal laboratory practice. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices and to ensure compliance with any national regulatory conditions.

## 1 Scope

This document specifies a method for the determination of the resistance of fabrics coated with rubber or plastics to ozone cracking under static conditions.

The test is designed to determine the relative resistance to cracking of fabric coated with rubber or plastics when exposed under static strain to air containing ozone in the absence of direct sunlight.

Like all ageing tests, it should be considered as a means of comparing articles of the same composition and destined for the same application, but not as an absolute criterion. It is preferable to limit the significance of the test by considering it only as a means of control when a fabric attains a resistance superior to a threshold given in comparison with a certain type of degradation.

Taking these remarks into account, the results obtained at the time of test cannot be taken as a prediction of the length of life of the product.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

*ISO 1431-1:2012, Rubber, vulcanized or thermoplastic — Resistance to ozone cracking — Part 1: Static and dynamic strain testing*

*ISO 2286-1, Rubber- or plastics-coated fabrics — Determination of roll characteristics — Part 1: Methods for determination of length, width and net mass*

## 3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminology databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <https://www.electropedia.org/>

## 4 Principle

Test pieces are exposed to ozone under specified conditions. The effects of the ozone are assessed by measurement of the time at which the first crack appears or of the time of exposure during which no cracks appear as appropriate.

For non-product tests, the minimum time between manufacture and commencement of testing shall be 16 h. The maximum time between manufacture and testing shall be 4 weeks.

For product tests, the minimum time between manufacture and commencement of testing shall be 120 h, during which period the test pieces shall be stored at the standard laboratory temperature. The maximum time between manufacture and testing shall be three months, and the maximum time between receipt of the product by the test laboratory and testing shall be two months.

For evaluations intended to be comparable, the tests shall, as far as possible, be carried out after the same time interval and at the same temperature.

## 8 Test conditions

### 8.1 Ozone concentration

The ozone concentration shall comply with the requirements of [ISO 1431-1:2012](#), 9.1.

### 8.2 Temperature

The temperature of test shall comply with the requirements of [ISO 1431-1:2012](#), 9.2.

### 8.3 Relative humidity

The relative humidity of the ozonized air shall normally be not more than 65 % at the test temperature.

Very high humidity can influence the results; when applicable, for products intended for use in damp climates, the test shall be carried out at a relative humidity in the range of 80 % to 90 %, if this is practicable.

### 8.4 Mounting of test pieces under stress and conditioning

The test piece shall be wrapped around the mandrel of the test piece holder with the surface under test on the outside and the ends of the test piece held by the clamps tightly enough for the mandrel just to be able to revolve freely in the test piece.

Several test pieces of the same thickness may be wrapped around a single mandrel.

Where multi-ply coatings are to be tested, they may be tested as single-faced fabrics, vulcanized under the same conditions as the final multi-ply product. Where this is not practical, then the rubber compound shall be tested in accordance with [ISO 1431-1](#).

The test piece, assembled on its mandrel, shall be conditioned in a substantially ozone- and draught-free atmosphere at the standard laboratory temperature for 48 h, after which the test piece shall be placed in the test chamber.

## 9 Procedure

**WARNING — Ozone is highly toxic. Appropriate measures shall be taken to minimize the exposure of the operator.**

Carry out the procedure in accordance with [ISO 1431-1:2012](#), Clause 10, disposing the test pieces in the chamber so that they are at least 10 mm from each other and from the wall of the chamber.

Examine the test pieces under a magnification of  $\times 7$ .

## 10 Test report

The test report shall include the following particulars:

- a) a reference to this document including its year of publication i.e. [ISO 3011:2021](#);
- b) all details necessary for identification of the sample;
- c) the thickness of the test piece and the mandrel diameter;
- d) the ozone concentration and the method of measuring it;
- e) the temperature of test;
- f) the time, in hours, at which the first crack appeared on each test piece or the time of exposure during which no cracks appeared, as appropriate.



# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

## Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than one device provided that it is accessible by the sole named user only and that only one copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than one copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

## Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright and Licensing team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [cservices@bsigroup.com](mailto:cservices@bsigroup.com).

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Useful Contacts

### Customer Services

**Tel:** +44 345 086 9001

**Email:** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 345 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK