



BSI Standards Publication

**Information and documentation — International
standard serial number (ISSN)**

National foreword

This British Standard is the UK implementation of [ISO 3297:2020](#). It supersedes [BS ISO 3297:2017](#), which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee IDT/2/18, Identifiers and metadata.

A list of organizations represented on this committee can be obtained on request to its committee manager.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2020
Published by BSI Standards Limited 2020

ISBN 978 0 539 00762 6

ICS 01.140.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 31 October 2020.

Amendments/corrigenda issued since publication

Date	Text affected
<hr/>	

INTERNATIONAL
STANDARD

ISO
3297

Sixth edition
2020-10-07

**Information and documentation —
International standard serial
number (ISSN)**

*Information et documentation — Numéro international normalisé
des publications en série (ISSN)*



Reference number
ISO 3297:2020(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2020, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO’s member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents		Page
Foreword		iv
Introduction		v
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
3.1	Metadata	1
3.2	Stakeholders	2
3.3	Resources identified	3
3.4	Identifiers and locators	4
4	Construction of ISSN and cluster ISSN	5
5	Assignment of ISSN — Principles	6
6	Establishment of the key title and the abbreviated key title	6
7	Continuing resource clusters identified with cluster ISSN	7
8	Display of ISSN^[17] and cluster ISSN	7
9	ISSN Machine legibility	9
10	ISSN Metadata	11
11	Administration of the ISSN network	11
Annex A (normative) Check digit for ISSN		12
Annex B (normative) Linking ISSN (ISSN-L)		13
Annex C (normative) ISSN Metadata profile		14
Annex D (normative) Administration of the ISSN network		17
Annex E (informative) Interoperability of ISSN		19
Bibliography		25

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 46, *Information and documentation*, Subcommittee SC 9, *Identification and description*.

This sixth edition cancels and replaces the fifth edition ([ISO 3297:2017](http://www.iso.org/iso/3297:2017)), which has been technically revised. The main changes compared to the previous edition are as follows:

- the Cluster ISSN concept has been broadened to identify groups of serial titles based on new types of relations;
- the list of resource types eligible for ISSN assignment has been expanded;
- the construction of the ISSN, its machine legibility, and ISSN metadata profile have been detailed;
- the interoperability of ISSN with other identification systems has been specified.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

The need for a brief, unique and unambiguous identification code for serials and other continuing resources is internationally recognized. The exchange of information among libraries, abstracting services and other content users, system suppliers, distributors and other intermediaries, and publishers and other content producers justifies the requirement for a standard code. Communication between the different organizations transcends national boundaries and therefore requires an international code which is numeric, since no single alphabet is used by the majority of producers and users of serials. In response to these requirements, the International Standard Serial Number (ISSN) has been established as the identification code for serials. The ISSN is an opaque identifier where no meaning is to be inferred from the code itself.

The International Serials Data System (ISDS) was established as an inter-governmental organization within the framework of the UNESCO/UNISIST program to be the designated authority for controlling the assignment of ISSN. In 1993, the ISDS became the ISSN network which is the inter-governmental organization comprising [ISO 3297](#) Registration Authority and [ISO 3297](#) Registration Agencies to which some Registration services have been delegated, including ISSN assignment.

The first three editions of this document pertained only to serials. However, in 2002 a new category of resources, "continuing resources", was defined by the library community to encompass new kinds of resources, such as updating databases. The scope of the fourth edition was broadened to cover serials and other continuing resources. The fifth edition removed any reference to the business model from the standard. This sixth edition responds to sector requests by establishing the ability to group and identify related continuing resources into new types of clusters. Furthermore, this document specifies richer metadata elements to allow the communication of additional characteristics of a resource.

Information and documentation — International standard serial number (ISSN)

1 Scope

This document defines and promotes the use of a standard code (ISSN) for the unique identification of serials and other continuing resources.

Each International Standard Serial Number (ISSN) is a unique identifier for a serial or other continuing resource in a defined medium whether print or electronic.

This document also allows for grouping related continuing resources into clusters identified by a separately-prefixed ISSN as defined in this document.

ISSNs are applicable to serials and to other continuing resources, whatever the business model or modes of distribution (e.g. free, open access, on subscription, etc.) and irrespective of whether the serial is currently in publication, has ceased publication, or publication is planned for the foreseeable future. Continuing resources include whatever the medium of production (print or electronic):

- serials, such as newspapers, periodicals, journals, magazines, conference proceedings, monographic series with no predetermined conclusion, annual or other periodic reports, and
- ongoing integrating resources that are updated, such as loose-leaf publications, updating websites, blogs, institutional repositories, directories and databases.

Monographs, sound and video recordings, notated music publications, audiovisual works, textual works and musical works have their own standard identifiers and are not specifically mentioned in this document. Such items can carry an ISSN in addition to their appropriate identifiers when they are part of a continuing resource.

NOTE This document does not contain any operational guidance for its practical implementation.

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

3.1 Metadata

3.1.1

abbreviated key title

specific title established by the ISSN network by replacing each significant word of a key title with the corresponding abbreviation from the List of Title Word Abbreviations managed by the [ISO 3297](#) Registration Authority for [ISO 4](#)

Note 1 to entry: See Reference [2] for the List of Title Word Abbreviations.

3.2.5

publisher

organization or individual whose activity is to commission, create, collect, validate, host and distribute information in printed and/or in electronic form

[SOURCE: ISO 5127:2017, 3.2.3.15, modified — Notes to entry have been omitted.]

3.3 Resources identified

3.3.1

continuing resource

publication, in any medium, that is issued over time with no predetermined conclusion and made available to the public

[SOURCE: ISO 5127:2017, 3.4.1.05]

Note 1 to entry: Continuing resources include serials and ongoing integrating resources.

Note 2 to entry: An electronic continuing resource is either a resource available on a tangible medium (e.g. disc, flash drive) or a resource accessed by connection to a communication network and by means of hardware and software connections (e.g. online).

Note 3 to entry: Electronic continuing resources can originate in digital form or be retrospectively digitised.

3.3.2

continuing resource edition

distinct continuing resource issued simultaneously or not simultaneously with one or many editions of that resource, usually with the same title proper

Note 1 to entry: Each edition is intended for a specific audience or use; examples include language, geographic, frequency editions.

3.3.3

integrating resource

publication, either finite or with no predetermined conclusion, that is added to or changed by updates that do not remain discrete and are integrated into the whole, and made available to the public in any medium version

[SOURCE: ISO 5127:2017, 3.4.1.06, modified — The example has been omitted.]

Note 1 to entry: Only integrating resources with no predetermined conclusion (i.e. ongoing) are continuing resources eligible for ISSN assignment.

3.3.4

journal

periodical in any medium version devoted to disseminating original research and commentary on current developments in a specific discipline, sub-discipline, field of study or profession, published over a period of time, or article by article online

3.3.5

medium version

means used to convey the information or content

Note 1 to entry: The medium can be tangible (e.g. print, CD-ROM, DVD-ROM, tapes, flash drives) or intangible (e.g. websites, online databases, downloadable files).

3.3.6

monographic series

group of separate books related to one another by the fact that each book bears, in addition to its own title proper, a collective title applying to the group as a whole

Note 1 to entry: The individual book may or may not be numbered in the series.

Note 2 to entry: Monographic series are not to be confused with multipart monographs which are complete in two or more volumes or series intended to be completed within a finite number of parts/volumes and therefore not eligible for an ISSN.

[SOURCE: ISO 5127:2017, 3.4.1.27.02]

3.3.7 **periodical**

serial generally characterized by variety of contents and contributors, both within one issue of the publication and from one issue to another

Note 1 to entry: Each issue is usually composed of more than one intellectual contribution (article, essay, review, note, etc.).

Note 2 to entry: A periodical has no predetermined conclusion.

[SOURCE: ISO 5127:2017, 3.4.1.28.02]

3.3.8 **serial**

publication in any medium version, issued in successive parts, usually having numerical or chronological designations, and intended to be continued indefinitely, whatever its frequency of publication

Note 1 to entry: Publications of limited duration (e.g. newsletter for a one-time event) that have some characteristics of serials such as successive issues and/or numbering can be considered as serials.

[SOURCE: ISO 5127:2017, 3.4.1.28.01]

3.4 Identifiers and locators

3.4.1 **cluster ISSN**

ISSN assigned to group continuing resources related to each other

EXAMPLE Titles available in print and electronic medium versions, titles available in several language editions.

3.4.2 **Global Trade Item Number** **GTIN**

unique number from a standard code used internationally to identify products and packaging units

[SOURCE: ISO 5127:2017, 3.2.5.12 — Notes to entry have been omitted.]

3.4.3 **ISSN** **International Standard Serial Number**

standard code assigned by the ISSN network for the unique identification of serials and other continuing resources in a defined medium version

Note 1 to entry: The term ISSNs can be used to refer to more than one ISSN.

[SOURCE: ISO 5127:2017, 3.2.5.03, modified — Notes to entry have been edited.]

3.4.4 **ISSN-L** **Linking ISSN**

cluster ISSN designated by the [ISO 3297](#) Registration Authority to enable collocation or linking among the different medium versions of a continuing resource

3.4.5

PID

Persistent Identifier

unique identifier that ensures permanent access for a digital object by providing access to it independently of its physical location or current ownership

[SOURCE: ISO 5127:2017, 3.2.5.25]

3.4.6

URI

Universal Resource Identifier

compact sequence of characters that identifies an abstract or physical resource

[SOURCE: ISO 5127:2017, 3.1.9.20]

3.4.7

URN

Uniform Resource Name

persistent, location-independent, resource identifier used for recognition of, and access to, characteristics of the resource or the resource itself

[SOURCE: ISO 5127:2017, 3.1.9.22]

4 Construction of ISSN and cluster ISSN

The characters that comprise an ISSN, whatever the prefix, are defined as code points from [ISO/IEC 10646](#).

NOTE The code points referenced above can be represented without ambiguity in all commonly used character sets.

An ISSN shall consist of eight characters as follows:

Position	1	2	3	4	5	6	7	8
Character	N	N	N	N	N	N	N	C

where:

- N is a digit from the code points in the range U+0030 to U+0039 (the Arabic numerals 0 to 9), and
- C is a check digit being either a digit from the code points in the range U+0030 to U+0039 or the Latin capital letter X (code point U+0058).

The check digit shall be calculated from the other seven digits on a modulus 11 basis with weights 8 to 2, using X in lieu of 10 where 10 occurs as a check digit, as calculated in [Annex A](#).

EXAMPLE

22656405

14549042

Since ISSNs are likely to be used in the same context as codes designed for other purposes, when an ISSN is presented for human perception, it should, to avoid confusion, be preceded by the prefix including ISSN (U+0049, U+0053, U+0053, U+004E) and a space (U+0020) and divided into two groups of four characters, separated by a hyphen (U+002D).

EXAMPLE

ISSN 1792-4219

ISSN 2336-1956

5 Assignment of ISSN — Principles

5.1 An ISSN shall be assigned only by a member of the ISSN network upon request from an applicant or as part of internal library processing such as legal deposit and digitization projects.

5.2 A request for an ISSN may be made to the ISSN network by any individual or organization that needs to identify serials and other continuing resources, e.g. a publisher or their representative, a library, a content provider, a preservation organization.

5.3 A request for an ISSN shall be accompanied by a copy of or access to the earliest issue of serials or the current iteration of integrating resources.

5.4 A request for an ISSN shall be accompanied by metadata about the continuing resource to which an ISSN is to be assigned. Metadata supplied by applicants should be accurate and verifiable.

5.5 At the time of registration by the ISSN network, each continuing resource is assigned a unique key title that links permanently to the ISSN.

5.6 Each distinct continuing resource in a particular medium version should be assigned only one ISSN.

5.7 When a continuing resource is published in different editions or medium versions, a unique ISSN and key title should be assigned to each edition or medium version whether or not they have the same title proper.

5.8 A new ISSN should be assigned, and a corresponding new key title should be established when the continuing resource undergoes a major change in title or other major changes. The [ISO 3297](#) Registration Authority shall determine, the rules which specify when a new ISSN is required following changes to a continuing resource. In formulating these rules, the [ISO 3297](#) Registration Authority shall take into consideration other relevant bibliographic standards regarding continuing resources.

5.9 Once an ISSN has been assigned to a continuing resource, it should not be altered, replaced or reused for another publication.

5.10 The assignment of an ISSN to a continuing resource shall not imply any meaning or legal evidence with regard to the ownership of rights to that publication or its contents. The ISSN itself is not owned by the applicant and is not changed solely because of a change of publisher or place of publication.

5.11 The assignment of an ISSN to a continuing resource does not imply the ISSN network endorses the content of this continuing resource, nor does it imply any mark of quality about the continuing resource.

6 Establishment of the key title and the abbreviated key title

6.1 The key title is established or authenticated by the ISSN network.

6.2 The key title is based on the title proper. For serials, the issue used to establish the key title is the first issue or earliest available issue at the time of registration. For integrating resources, the key title is based on information appearing on the current iteration. The title proper of the resource becomes the key title if this title is unique in the *ISSN Register* at the time of registration. If this title proper is not unique, the key title is the title of the resource, to which a parenthetical qualifying term is added (such

as name of issuing body, place and/or date of publication, edition statement or medium statement), in order to make the resulting key title unique.

6.3 All key titles should be listed in the *ISSN Register* together with their ISSN. Key titles shall be Romanized, preferably according to International Standards. The [ISO 3297](#) Registration Authority shall publish references to Romanization standards[5]-[16] and guidelines.

6.4 The abbreviated key title should be assigned by the ISSN network as indicated in conjunction with the key title for scientific continuing resources so as to provide an abbreviated form of the key title for purposes of indexing and citations.

7 Continuing resource clusters identified with cluster ISSN

The [ISO 3297](#) Registration Authority shall be responsible for determining the need to identify clusters of continuing resources. This shall be done by assigning a new ISSN and a prefix whose syntax will be ISSN-X where X identifies the type of cluster. Examples of clusters are all earlier, later and current titles of a resource or all language editions of a resource. The [ISO 3297](#) Registration Authority shall publish definitions of cluster types and document the processes by which cluster ISSNs are created and disseminated.

By exception, the cluster identified by the Linking ISSN (ISSN-L) uses an existing ISSN. The Linking ISSN shall be defined according to [Annex B](#). ISSN-L provides collocation or linking among the different medium versions of a continuing resource. The ISSN-L duplicates the ISSN assigned to the first medium version to have received an ISSN for a continuing resource that is part of the cluster and is distinguished only by the prefix ISSN-L.

EXAMPLE

ISSN 2095-2686 identifies the print version of *International Journal of Mining Science and Technology*.

ISSN 2589-062X identifies the online version of the same journal.

ISSN-L 2095-2686 is designated by the Registration Authority as the linking ISSN.

ISSN 2365-807X identifies the electronic version of *Kultur- und Sozialgeschichte Osteuropas*.

ISSN 2365-8061 identifies the print version of the same journal.

ISSN-L 2365-807X is designated by the Registration Authority as the linking ISSN.

ISSN 2651-057X identifies the online-only journal *Warasan Sangkhomwitthaya Manutsayawitthaya*

ISSN-L 2651-057X is designated by the [ISO 3297](#) Registration Authority as the linking ISSN.

8 Display of ISSN[17] and cluster ISSN

8.1 To ensure that the ISSN's eight characters can be easily recognized as an ISSN, any ISSN shall be consistently displayed as two groups of four digits separated by a hyphen and preceded by the appropriate prefix and a space.

EXAMPLE

ISSN 0540-4614

ISSN-L 8755-5108

8.2 The ISSN and related medium version ISSNs should be displayed in a prominent position on or in:

— the first issue and each subsequent issue of serials,

— each subsequent iteration of ongoing integrating resources.

Relevant cluster ISSNs should be displayed in addition to the other medium version ISSN(s).

8.2.1 For printed continuing resources, the ISSN and related medium version ISSNs should be displayed in a prominent position on each issue in the following order of preference: top-right hand corner of the front cover, title page, caption, masthead, back cover, colophon or editorial pages.

The ISSN should be displayed on the continuing resource even when it is also included in the bar code^[18] of the Global Trade Item Number (GTIN) (see [E.6](#)).

EXAMPLE

The journal *Anthropology Today* has two medium versions, print and online. Both medium versions display the two ISSNs as shown below:

- ISSN 0268-540X (Print)
- ISSN 1467-8322 (Online)

8.2.2 For electronic continuing resources whether tangible or intangible (e.g. compact disc, online serial), the ISSN and related medium versions ISSNs should be displayed prominently on the title screen or the main menu (e.g. the initial screen displayed when the content is first accessed and/or the screen that carries the copyright notice, i.e. information about the copyright, licensing and publishing rights usually provided in a text box or sidebar).

8.2.2.1 In addition to displaying the ISSN and related medium versions ISSNs as described in [8.2.2](#), if the publication is issued in a container that is an integral part of the publication (e.g. a compact disc, cassette, or diskette), the ISSN should be displayed on any labels included with that container. If it is not possible to display the ISSN on the container or its label, then the ISSN should be displayed at the bottom of the back of any permanent packaging for that container (e.g. the box, sleeve, or frame).

8.2.2.2 For electronic serials, the ISSN and related medium versions ISSNs should also be displayed at the article level with the journal information.

8.2.3 On a continuing resource published on microfiche, the ISSN and related medium versions ISSNs should be entered in the identification area of the header of the microfiche and/or the labels.

8.3 If a continuing resource bears an ISSN as well as another standard identifier, such as an ISBN for a monograph within a series with no predetermined conclusion, the two identifiers should appear together each with the related title they identify. Each identifier shall include its own prefix such as "ISSN" and "ISBN" or the prefix associated with another standard identifier.

EXAMPLE

The monographic series *Ashgate historical keyboard series* has been assigned ISSN 2578-0182.

The monograph *Studies in English organ music*, a volume in the *Ashgate historical keyboard series*, has been assigned ISBN 978-1-1380-5913-9.

On the publication, these identifiers should appear as follows:

- *Studies in English organ music* ISBN 978-1-4073-1652-9
- *Ashgate historical keyboard series* ISSN 0143-3032

8.4 When a single continuing resource bears more than one ISSN in relation to different continuing resource titles, for example the titles of a main monographic series and its subseries, each ISSN should appear on the continuing resource and each should be distinguished by either adding the full or

abbreviated title proper in parentheses after the relevant identifier, or by printing each ISSN as close as possible to the relevant title proper.

8.5 When a continuing resource contains another continuing resource as an insert with a separate title page, the ISSN for the insert shall be printed on its title page, or in some other appropriate place on the insert.

8.6 When the same serial or other continuing resource is produced in different medium versions for which different ISSNs and key titles are assigned, then the ISSNs of all medium versions should appear together on each version and in one of the prominent locations mentioned in 8.3, each with appropriate distinguishing information.

EXAMPLE

ISSN 1562-6865 (Online)

ISSN 1063-7710 (Print)

ISSN-L 1063-7710

OR

Online version: ISSN 1562-6865

Print version: ISSN 1063-7710

ISSN-L 1063-7710

9 ISSN Machine legibility

9.1 Online electronic continuing resources should contain embedded metadata in a standard format such as Dublin Core, Schema.org, MODS or MARCXML in order to improve discovery of these resources on the Internet. The ISSN should be included as the identifier in the appropriate element of the embedded metadata record, to allow for greater search accuracy, and to help navigating between resources. Relevant cluster ISSN should also be included if the format makes it possible to distinguish them from the ISSN. This also applies to the ISSN-L even when the ISSN-L is the same as the ISSN of the resource.

9.2 Content providers and publishers of serials and other continuing resources should record three types of elements within their systems:

- the ISSN itself, using a dedicated metadata field. Precise data elements should be used whenever possible. If there is no ISSN element in the metadata format (e.g. unqualified Dublin Core), an identifier element or equivalent may be used. In the machine-readable presentation, the prefix "**ISSN**" and space shall not be used. However, when ISSN digits are exchanged between systems, the hyphen should be included, since some applications may expect ISSN strings to contain it;
- Cluster ISSNs as appropriate, using a dedicated metadata field;
- the URI of the ISSN or cluster ISSNs linking to the metadata about the continuing resource or the cluster in the ISSN Register.

EXAMPLE (XML fragments)

Schema.org

For a reference to the ISSN:

< http://example.org/Sociologyofreligion > < http://schema.org/issn > "1759-8818"

< http://example.org/Sociologyofreligion > < http://schema.org/sameAs >

< https://portal.issn.org/resource/ISSN/1759-8818 >

For a reference to the ISSN-L:

< http://example.org/Sociologyofreligion > < http://schema.org/sameAs >
< https://portal.issn.org/resource/ISSNL/1069-4404>
Dublin Core
< dc.identifier type = "issn" > 1799-3911</dc.identifier>
<dc.relation> < https://portal.issn.org/resource/ISSN/1799-3911 > </dc.relation >
< dc.identifier type = "issnl" > 1799-3903</dc.identifier>
<dc.relation> < https://portal.issn.org/resource/ISSNL/1799-3903 > </dc.relation >

MODS

< identifier type = "issn" > 0376-4583</identifier>
< identifier type = "issn-l" > 0376-4583</identifier>
< identifier type = "uri" >https://portal.issn.org/resource/ISSN/0376-4583</identifier>
< identifier type = "uri" >https://portal.issn.org/resource/ISSN-L/0376-4583</identifier>

MARCXML (on a MARC21 basis)

MARC 21

022 ## \$a 0376-4583 \$l 0376-4583
856 42 \$3 ISSN metadata \$u https://portal.issn.org/resource/ISSN/0376-4583
856 42 \$3 ISSN-L metadata \$u https://portal.issn.org/resource/ISSN-L/0376-4583

The ISSN field in MARC 21 (022) is not currently structured to accommodate a URI. Until such a change occurs or until there is an alternate mechanism for representing the URI of the ISSN in MARC 21, the example below can be followed.

MARCXML

< datafield tag = "022" ind1 = "" ind2 = "" > < subfield code = "a"> 0376-4583</subfield> < subfield code = "l" > 0376-4583</subfield>
</datafield>
< datafield tag = "856" ind1 = "4" ind2 = "2" > < subfield code = "3" > ISSN metadata</subfield>
< subfield code = "u" > https://portal.issn.org/resource/ISSN/0376-4583</subfield>
</datafield>
< datafield tag = "856" ind1 = "4" ind2 = "2" > < subfield code = "3" > ISSN-L metadata</subfield>
< subfield code = "u" > https://portal.issn.org/resource/ISSN-L/0376-4583</subfield>
</datafield>

9.3 Metadata may be embedded in online resources in various ways depending on the format used. For HTML resources, metadata may be located in the header of the document, or directly in the document using RDF/A^[20] or microdata^[21]. For resources in PDF^[22] format, it may be recorded in the associated

XMP[23] metadata. Container formats such as EPUB[24] or OOXML[25] provide specific guidelines for embedded metadata but allow also external metadata via Internet linking.

More information on the recording of digital identification metadata may be found on the website of the [ISO 3297](#) Registration Authority¹⁾.

9.4 When ISSN digits are processed within the same application, the hyphen may be omitted since it has no semantic content. For example, the URN Namespace Registration for ISSN and ISSN-L defined by the Internet Assigned Numbers Authority (IANA) states that hyphen can be ignored when lexical equivalence of two ISSN strings is analysed.

10 ISSN Metadata

10.1 In addition to copies of or access to continuing resources, some metadata are required from applicants for the assignment of ISSN (see [C.1](#) for full list).

10.2 The ISSN network verifies metadata provided by applicants and adds specific metadata such as the ISSN and the key title, in accordance with [Annex C](#). Each ISSN is represented in the ISSN Register made available by the [ISO 3297](#) Registration Authority by a record that contains metadata that is maintained by the ISSN network.

11 Administration of the ISSN network

The name and contact information of the [ISO 3297](#) Registration Authority for this document can be found at <https://www.iso.org/mara>.

The ISSN network shall be supervised, coordinated and administered by [ISO 3297](#) Registration Authority whose tasks and services are outlined in [Annex D](#).

1) Available at: <https://www.issn.org>.

Annex A
(normative)

Check digit for ISSN

The check digit helps guard against errors resulting from improper data transcription. The check digit used in the ISSN is calculated on a Modulus 11 basis using weights 8 to 2, as indicated in [Table A.1](#).

Procedure		Example							
Step 1	Take the first seven digits of the ISSN (the check digit is the eighth and last digit).	0	3	1	7	8	4	7	
Step 2	Associate the following constant weighting factors (8 to 2) to each digit.	8	7	6	5	4	3	2	
Step 3	Apply each constant weighting factor by multiplying each digit by its associated weighting factor (e.g. 0 × 8; 3 × 7; 1 × 6; etc.).	0	3	1	7	8	4	7	
		×	8	7	6	5	4	3	2
		=	0	21	6	35	32	12	14
Step 4	Sum the products of these multiplications.	0 + 21 + 6 + 35 + 32 + 12 + 14 = 120							
Step 5	Divide this sum by the modulus 11 to find the remainder.	120 ÷ 11 = 10 and a remainder of 10							
Step 6	Subtract the remainder from 11 to generate the required check digit. If the check digit is 10, generate a check digit of X. If there is no remainder, generate a check digit of 0 (zero).	11 – 10 = 1 Check digit = 1							
Step 7	Place the check digit at the end of the first seven digits to create the eight-digit International Standard Serial Number (ISSN).	ISSN 0317-8471							

Annex B (normative)

Linking ISSN (ISSN-L)

B.1 The linking ISSN (ISSN-L) is the specific ISSN designated by [ISO 3297](#) Registration Authority to enable collocation or linking among the different medium versions of a continuing resource. An ISSN-L is assigned automatically to each title even when there is only one medium version available at the time of assignment. The 8-character string is identical to the first ISSN validated in the ISSN Register of any medium version of a continuing resource.

B.2 The prefix ISSN-L is used for human legibility. A specific data field should be created in systems to store the prefix and the identifier.

EXAMPLE

ISSN 1091-613X for the print version of *Anthropology*, a journal initially published in Guilford, Connecticut, USA

ISSN 2162-3546 for the online version of the same journal.

ISSN-L 1091-613X is designated as the linking ISSN by the [ISO 3297](#) Registration Authority.

B.3 The linking ISSN should be included as a separate data element in the metadata available in the *ISSN Register*. Each record in the *ISSN Register* therefore carries the medium version ISSN assigned to the resource described in the record and the designated linking ISSN as separate data elements.

B.4 A linking ISSN should be designated for each continuing resource identified in the *ISSN Register*, even if the continuing resource exists in only one medium.

B.5 Only one linking ISSN should be designated regardless of how many different medium versions of a continuing resource exist.

B.6 When a continuing resource to which an ISSN has been assigned undergoes a major change and is therefore assigned a new ISSN, the relevant linking ISSN should be designated and recorded in the metadata that was created with the new ISSN assignment.

B.7 The linking ISSN can be used as a component in other global identifiers and mechanisms (see examples in [Annex E](#)). In such cases, specific syntax requirements may apply for the display of the linking ISSN within the syntax of such other identifiers or mechanisms.

Annex C
(normative)

ISSN Metadata profile

C.1 Metadata required from an applicant for ISSN assignment

Metadata provided by applicants is not standardised. The ISSN network reviews and formats according to current bibliographic standards and practices.

ISSN assignment and registration are primarily based on the first or earliest issue of serials or on the current iteration of ongoing integrating resources.

Copies or surrogates of the resources are mandatory for ISSN assignment in addition to the metadata shown in [Table C.1](#). Metadata should be supplied using [ISO/IEC 10646](#). Based on the metadata as described in [Table C.1](#), the ISSN network creates a record in the ISSN Registry encompassing the metadata as described in [Table C.2](#).

Table C.1 — Metadata to be supplied by applicants where applicable

Required data elements
Main title as displayed on the publication (in original script and in Roman script)
Other titles as displayed on the publication (e.g. subtitles, titles in other languages, etc.)
Country of publication as displayed on the publication
City(ies) of publication as displayed on the publication (in original script and in Roman script)
Medium of publication (e.g. print, online, other tangible medium)
Language(s) of publication (generally represented in the publication)
Name of publishing company, organization or individual acting as publisher as displayed on the publication (in original script and in Roman script)
Country where publishing company, organization or individual acting as publisher is located if different from Country of publication
Name of publishing company, other organization or individual acting as co-publisher (in original script and in Roman script)
Country of publishing company, other organization or individual acting as co-publisher (if different from Country of publication)
Publication status (e.g. to be published, currently published, discontinued, unknown)
Projected or actual date(s) of publication (year/month of the first issue and, if applicable, year/month of the final issue)
Frequency of publication
Electronic location and access (i.e. URL, mandatory for online resources)
Type of electronic format
Former title and ISSN if assigned
Succeeding title and ISSN if assigned (when the title for which the ISSN is requested has been discontinued and been continued by another title)
Title(s) of additional medium version(s) and ISSN(s) if assigned [e.g. print, tangible digital media (e.g. CD-ROM), intangible digital media (e.g. online journal)]
Type of publication (e.g. newspaper, periodical, updating database, updating website, book series with no predetermined conclusion, updating loose-leaf)

C.2 Metadata available in the ISSN Register

Table C.2 — ISSN Register Metadata elements supplied by the ISSN network where applicable

Data elements
ISSN
Key title
Title proper (in original script and in Roman script)
Variant titles
Abbreviated key title
Country of publication as displayed on the publication
Country code ^[26]
Medium of publication
Specific material designation
Language(s) of publication
Language code ^[27]
Place(s) of publication as listed on the serial publication (in original script and in Roman script)
Name of publishing company, organization or individual acting as publisher as displayed on the publication (in original script and in Roman script)
Access point corresponding to name of publishing company, organization or individual acting as publisher (optional)
Identifier for publishing company, organization or individual acting as publisher (optional)
Name of publishing company, organization or individual acting as co-publisher (in original script and in Roman script; optional)
Identifier for publishing company, organization or individual acting as co-publisher (optional)
Date(s) of publication (year of the first issue and, if applicable, year of the final issue)
Publication status (e.g. to be published, currently published, ceased, unknown)
Projected date of publication (year/month)
Subject classification (UDC or DDC)
Frequency of publication
Type of publication (e.g. newspaper, periodical, updating database, updating website, monographic series with no predetermined conclusion, updating loose-leaf)
Access point corresponding to name of issuing body (organization responsible for intellectual content; in original script and in Roman script)
Identifier for issuing body (optional)
Electronic location and access (i.e. URI, URL, etc., mandatory for online resources)
Type of electronic format (optional)
Title(s) of additional medium version(s) and ISSN(s) if assigned [e.g. print, tangible digital media (e.g. CD-ROM), intangible digital media (e.g. online journal)]
Preceding title and ISSN thereof
Succeeding title and ISSN thereof
Parent title of the supplement and ISSN thereof
Title of the supplement and ISSN thereof
Title of main series or ISSN thereof
Title of subseries or ISSN thereof
Other edition title(s) on same medium and ISSN thereof (e.g. linguistic, geographic, other)
Other title related to the title in a manner not specified elsewhere or ISSN thereof
CODEN and other codes

Data elements
Reproduction note
System details note
Source of the description note
Note regarding access status (for online resources only)
Code of ISO 3297 Registration Authority or of ISO 3297 Registration Agency assigning the ISSN

Annex D (normative)

Administration of the ISSN network

D.1 General

The ISSN network (see Introduction) is an inter-governmental organization whose purpose is to identify serials and other continuing resources globally. It is administered by the designated Registration Authority.

Applicants apply for ISSN in accordance with the specifications and directions of the [ISO 3297](#) Registration Authority.

For full details of the administration of the ISSN network, see the website of the Registration Authority.

D.2 Responsibilities of ISO 3297 Registration Authority

[ISO 3297](#) Registration Authority shall provide the following services:

- a) coordinate, supervise and promote globally the policies and operations of the ISSN network in compliance with the specifications of this document;
- b) represent the interests of the ISSN network to other relevant entities and ensure coordination and cooperation between the ISSN network and other organizations in related fields;
- c) implement and maintain such funding arrangements as are necessary to support the operations of the Registration Authority;
- d) manage the creation and the maintenance of ISSN, ISSN-L and other Cluster ISSN for the ISSN network and for all users; define new Cluster ISSN as needed;
- e) issue notification of the assignment of an ISSN to the applicant requesting the identification of a serial publication and update the ISSN Register so that the applicant and other interested parties are able to check information online;
- f) train interested parties in the implementation of this document;
- g) provide technical assistance to applicants and to other interested parties to foster the implementation of this document;
- h) set up, maintain and update services based on this document, notably the ISSN Register compiling global metadata about material being assigned ISSN by the ISSN network, and the ISSN Portal providing specific services to applicants;
- i) correct inaccurate ISSN and related metadata if proof of such inaccuracy is provided;
- j) compile and maintain statistical data on ISSN-related operations;
- k) establish and disseminate common rules, policies and procedures within the ISSN network;
- l) review and decide on appeals of decisions in such matters as rejection of ISSN applications, and disputes concerning the appropriateness of assignments of ISSN to publications;
- m) develop, maintain and make available documentation for users of this document;

- n) develop, maintain and make available promotional material and communication tools for users of this document;
- o) ensure that continuous service is provided.

D.3 ISO 3297 Registration Agencies

The Registration Authority may delegate certain tasks and services listed in [D.2](#) to ISSN Registration Agencies. ISSN Registration Agencies hold an important role in the allocation of ISSN. Therefore, applicants are advised to consult the website of the Registration Authority to find information concerning the most appropriate ISSN Registration Agency to contact and the tasks and services it has been delegated.

Annex E (informative)

Interoperability of ISSN

E.1 General

URI, DOI®, URN, OpenURL and GTIN are examples of identification systems and protocols that can use ISSN and cluster ISSNs such as ISSN-L. The information in this annex is provided for the convenience of users of this document to illustrate the interoperability of the ISSN with these systems. This list of examples is not exhaustive. This annex does not provide complete or authoritative information on these systems. The relevant governing organizations and documents should be consulted for further information.

ISSN and cluster ISSNs can be incorporated into other identification and linking systems, including, but not limited to, those listed in [E.2](#) to [E.6](#). The use of ISSN in such systems should be for the purpose of identifying or linking to a specific medium version of a continuing resource, such as the print version, the online version, the CD-ROM version, as illustrated below. In cases where identifying and linking to a continuing resource is desired without regard to medium (such as in the resolution of OpenURLs where results sets might include links to either online full text or the location of a print copy through a library's catalogue), the ISSN-L should be used.

E.2 ISSN in linked data formats

E.2.1 Overview

Identification and description data from the ISSN Register has been made available as linked data, in various RDF formats (RDF/XML, Turtle and JSON). This service fosters the use, re-use, exchange and enrichment of ISSN data. The ISSN linked data service is available on the ISSN Portal implemented by the Registration Authority.

E.2.2 Syntax

The URI template for ISSN resources is `https://issn.org/resource/identifier_type/resource_identifier`.

The {identifier_type} URI component can have the following values:

- ISSN for resources identified by an ISSN (e.g. `http://issn.org/resource/ISSN/1683-4135`);
- ISSN-L for resources identified by an ISSN-L (e.g. `http://issn.org/resource/ISSN-L/1683-3775`).

The URI pattern `http://issn.org/resource/identifier_type/resource_identifier` can therefore serve in different circumstances and within various data sets to identify a specific continuing resource.

Information about the ISSN Data Model can be found on the website of the Registration Authority.

E.3 ISSN and Digital Object Identifier (DOI)

E.3.1 Overview

The DOI system is defined by [ISO 26324](#)^[28]. A DOI name is a unique and persistent alphanumeric (digital) string assigned to an object which can be a digital or printed publication or other resource. It provides information about the object, which may include one or more URIs that point to, or

otherwise relate to, the object. The DOI name does not change over time; even if the item or information about it moves to a new location, the DOI name stays the same and the DOI metadata are updated as appropriate. DOI thereby provides actionable, interoperable, and persistent links to resources and information about them.

The DOI prefix is allocated to an organization by a DOI registration agency. The DOI suffix is created by the organization using a DOI registration agency to register key metadata in the DOI system^[29].

E.3.2 Syntax and examples

A title-level DOI name can be assigned to a publication and article-level DOI name can be assigned to a particular article within a publication. In either case, the publisher should include the ISSN of the publication in the metadata supplied to the relevant DOI registration agency. The DOI registration agency will then include the ISSN in the public data relating to the title or article.

[ISO 26324:2012](#), Annex A states that

"where the referent of a DOI name also has an existing identifier within a commonly recognized identifier scheme or schemes, at least one of the following methods is used to express the relationship.

- a) *The other existing identifier(s) is (are) indicated in the DOI metadata field "referentIdentifier(s) (...) irrespective of whether the identifier (s) is (are) incorporated into the syntax of the DOI name.*
- b) *An existing identifier can be incorporated as an explicit part of the DOI name for the referent.*

(...)

EXAMPLE

10.1038/issn.1476-4687 shows a DOI suffix using an ISSN."

E.4 ISSN and OpenURL

E.4.1 Overview

OpenURL^[30] is an enabling technology that uses a web-based request to link metadata for resources to services for that resource. OpenURLs transport identifiers and/or descriptive metadata, along with contextual information, from a metadata source to a link server. When resolving the OpenURL request initiated by a user, the user's link resolver interprets the incoming resource metadata, taking into account the electronic holdings and access privileges of the user's institution. The link resolver then generates web links to services to which the user has access, including, for example, the online full text of an article. Currently, resource metadata and context information are transported using URLs (the "OpenURL").

NOTE For information on OpenURL, see the National Information Standards Organization (NISO) website, available at: <https://www.niso.org/publications/z3988-2004-r2010-openurl-framework-context-sensitive-services>. In 2006, OCLC was designated as the Maintenance agency for OpenURL for a period of five years and developed the OpenURL registry. The OpenURL Registry is no longer being maintained.

E.4.1.1 Syntax and examples

In OpenURL Z39.88-2004 (R2010), resource metadata and context information can be transported as either "by value" OpenURLs or "by reference" OpenURLs. The key value pairs in "by value" OpenURLs can be encoded by two methods: KEV format or XML format. ISSN is included in the 'journal' metadata formats, which are defined in the OpenURL Registry.

EXAMPLE Showing the KEV journal metadata format (info:ofi/fmt:kev:mtx:journal) in which the ISSN is encoded as:

`http://... &rft.issn = 0987-5432&`

EXAMPLE Showing the XML journal metadata format (info:ofi/xml:xsd:journal) in which the ISSN is encoded as an XML element such as:

```
<rft:issn>9876-5432</rft:issn>
```

E.4.1.2 Usage scenario

OpenURL²⁾ is used on a daily basis by link resolvers notably in libraries and discovery platforms to direct users to appropriate content.

A link resolver is an application that accepts and parses properly formed OpenURL data including identifiers and uses this data to direct users to appropriate content. It checks whether the institution owns a copy of or a license for the resource and directs the user to it, generally through a link.

The accurate use of the correct ISSN is critical in ensuring successful resolution of OpenURL-based links. The content provider should ensure that the ISSN being supplied to the knowledge base on which the link resolver relies is accurate in relation to the work described, i.e. the ISSN identifying the print version, the ISSN identifying the electronic version, and the ISSN-L which collocates various medium versions. When the OpenURL application has a metadata element identifying the ISSN-L, it is recommended to include the ISSN-L.

E.5 ISSN and URN

E.5.1 Overview

The Uniform Resource Name (URN) is an Internet standard developed by the Internet Engineering Task Force (IETF).

According to RFC 8141^[35]:

"a Uniform Resource Name (URN) is a Uniform Resource Identifier (URI) [RFC 3986] that is assigned under the "urn" URI scheme and a particular URN namespace, with the intent that the URN will be a persistent, location-independent resource identifier. A URN namespace is a collection of such URNs, each of which is (1) unique, (2) assigned in a consistent and managed way, and (3) assigned according to a common definition."

The URN namespace "ISSN"^[31] has been registered for ISSN which makes it possible to turn ISSNs into actionable and resolvable URN URIs.

E.5.2 Syntax and example

All URNs include a Namespace Identifier (NID) code and a Namespace Specific String (NSS). The NID indicates the identification system being used for the URN and facilitates the interpretation of the NSS. The NSS is the local code that identifies the individual document. The ISSN is a registered URN Namespace identified by the NID code ISSN.

The current URN syntax, as specified in RFC 8141, is:

"URN" ":"<NID>":"<NSS>

where <NID> is a namespace identifier (to distinguish between different identifier schemes) and where <NSS> is the namespace-specific string. Thus, when 'ISSN' is the NID for the ISSN, each URN^[32] based on an ISSN begins with URN:ISSN: followed by a namespace specific string; in this case, an ISSN.

EXAMPLE

<https://urn.issn.org/urn:issn:1560-1560>

2) NISO RP-21-2013, *Improving OpenURLs Through Analytics (IOTA): Recommendations for Link Resolver Providers*. Baltimore, MD: NISO Press, 2013. Available at <https://www.niso.org/standards-committees/iota> [cited 9 July 2018].

E.5.3 Usage scenario

URI links are provided by the ISSN Portal. They have a technical limitation that they can only be resolved into one location (URL) at a time. If a link based on PID such as URN is used, it can be resolved to multiple locations simultaneously due to the usage of a resolution service which then maps the PID to 1-n URLs which may then be redirected to the eventual network location.

[ISO 3297](#) Registration Authority may implement a URN resolution service which would initially provide links to the metadata records in the ISSN Register. In that case, this will later remain the default service provided by the URN resolver managed by the [ISO 3297](#) Registration Authority. The resolver may also support additional services, such as providing a link to the homepage of the serial or metadata record in a national bibliography. These services may be established and maintained in co-operation with partners such as publishers, [ISO 3297](#) Registration Agencies, libraries and web archives.

E.6 ISSN and GTIN

E.6.1 Overview

GTIN is administered by GS1. A GTIN-13 can identify a serial publication in general retail at Point of Sale (POS) and in other supply chain systems. Special provision is made for issues of continuing resources with an assigned ISSN.

The GTIN uniquely identifies a particular issue of a serial to facilitate electronic capture and transfer of data throughout the supply chain by publishers, distributors, wholesalers, retailers, etc. Such data may include price, stock levels and sales figures.

E.6.2 Syntax and example

To identify print serial publications, the ISSN is embedded into the GTIN along the format presented in [Table E.1](#) and illustrated in [Figure E.1](#).

Table E.1 — Syntax of GTIN embedding ISSN

GS1 Prefix	ISSN without its check digit	Variant	Check digit
977	N4 N5 N6 N7 N8 N9 N10	N11 N12	N13



Key

- 1 GS1 prefix for ISSN
- 2 ISSN without check digit
- 3 variant
- 4 GS1 check digit
- 5 two-digit add-on

Figure E.1 — Example of the ISSN embedded in GTIN-13

Some publishers may wish to communicate additional information in a barcode in order to meet their internal requirements. A two-digit or five-digit serial number provides more information about a particular publication of the printed item, but it is not required for the identification of the title itself.

The [Table E.2](#) below shows the format of a two-digit add-on:

Table E.2 — Format of two-digit add-on

Supplementary information
N1 N2

Reference [\[33\]](#) recommends the use of the following number assignment:

- Dailies (or more generally publications with several issues a week): The publications of each day of the week are considered separate trade items that should be identified with a separate identification number represented in an EAN-13, UPC-A, or UPC-E symbol. The two-digit serial number should only be used to represent the applicable week, which, together with the GTIN-13 or GTIN-12, establishes the day within the year.
- Weeklies: Number of the week (01 – 52).
- Bi-weeklies: Number of the first week of the respective period (01 – 52).
- Monthlies: Number of the month (01 – 12).
- Bi-monthlies: Number of the first month of the respective period (01 – 12).
- Quarterlies: Number of the first month of the respective period (01 – 12).

- Seasonal period: First digit = last digit of the year; second digit = 1 spring, 2 summer, 3 autumn, 4 winter.
- Bi-annual period: First digit = last digit of the year; second digit = number of the first season of the respective period.
- Annuals: First digit = last digit of the year; second digit = 5.
- Special intervals: Consecutively numbered from 01 to 99.

Serial publications can also use a five-digit serial number carried by a five-digit add-on symbol. The reading of the add-on symbol at a point-of-sale is optional. The add-on symbol should not be used to encode information that should be contained within the Global Trade Item Number (GTIN). The add-on symbol provides additional information about a particular publication of a printed item, and it is the publisher’s responsibility to define the numbering scheme. [Table E.3](#) shows the format of a five-digit add-on.

Table E.3 — Format of five-digit add-on

Supplementary information
N1 N2 N3 N4 N5

Information that can be encoded in the five-digit add-on symbol includes the actual date of issue, in order to differentiate between successive issues.

Bibliography

- [1] *ISSN Manual*.³⁾ Paris: ISSN International Centre, 2015
- [2] *List of Title Word Abbreviations*.⁴⁾ Paris: ISSN International Centre, 2018
- [3] [ISO 4](#), *Information and documentation — Rules for the abbreviation of title words and titles of publications*
- [4] [ISO 5127:2017](#), *Information and documentation — Foundation and vocabulary*
- [5] ISO 9, *Information and documentation — Transliteration of Cyrillic characters into Latin characters — Slavic and non-Slavic languages*
- [6] ISO 233-2, *Information and documentation — Transliteration of Arabic characters into Latin characters — Part 2: Arabic language — Simplified transliteration*
- [7] ISO 233-3, *Information and documentation — Transliteration of Arabic characters into Latin characters — Part 3: Persian language — Simplified transliteration*
- [8] ISO 259, *Documentation — Transliteration of Hebrew characters into Latin characters*
- [9] ISO 843, *Information and documentation — Conversion of Greek characters into Latin characters*
- [10] ISO 3602, *Documentation — Romanization of Japanese (kana script)*
- [11] [ISO 7098](#), *Information and documentation — Romanization of Chinese*
- [12] ISO 9984, *Information and documentation — Transliteration of Georgian characters into Latin characters*
- [13] ISO 9985, *Information and documentation — Transliteration of Armenian characters into Latin characters*
- [14] ISO 11940, *Information and documentation — Transliteration of Thai*
- [15] ISO 11940-2, *Information and documentation — Transliteration of Thai characters into Latin characters — Part 2: Simplified transcription of Thai language*
- [16] ISO 15919, *Information and documentation — Transliteration of Devanagari and related Indic scripts into Latin characters*
- [17] [ISO 8](#), *Information and documentation — Presentation and identification of periodicals*
- [18] [ISO/IEC 15420](#), *Information technology — Automatic identification and data capture techniques — EAN/UPC bar code symbology specification*
- [19] [ISO 2108](#), *Information and documentation — International Standard Book Number (ISBN)*
- [20] *Resource Description Framework* (W3C, 2014)⁵⁾
- [21] *Microdata* (W3C, 2018)⁶⁾
- [22] ISO 32000 (all parts), *Document management — Portable document format*

3) Available at <https://www.issn.org> [cited 18 June 2019].

4) Available at <https://www.issn.org/services/online-services/access-to-the-ltwa/> [cited 9 July 2019].

5) <https://www.w3.org/RDF/>

6) <https://www.w3.org/TR/microdata/>

- [23] ISO 16684 (all parts), *Graphic technology — Extensible metadata platform (XMP)*
- [24] ISO/IEC 23736 (all parts), *Information technology — Digital publishing — EPUB 3.0.1*
- [25] ISO/IEC 29500 (all parts), *Information technology — Document description and processing languages — Office Open XML File Formats*
- [26] [ISO 3166-1](#), *Codes for the representation of names of countries and their subdivisions — Part 1: Country codes*
- [27] [ISO 639-2](#), *Codes for the representation of names of languages — Part 2: Alpha-3 code*
- [28] [ISO 26324:2012](#), *Information and documentation — Digital object identifier system*
- [29] *DOI handbook*.⁷⁾ Oxford: International DOI Foundation, 2016.
- [30] ANSI/NISO Z39. 88-2004 (R2010),⁸⁾ *The OpenURL Framework for Context-Sensitive Services*, Baltimore, MD: NISO Press, 2013.
- [31] IANA. *Namespace Registration for International Standard Serial Number (ISSN) and Linking ISSN (ISSN-L)* based on ISO 3297:2007.⁹⁾ Internet Assigned Numbers Authority, 2017
- [32] KLENSIN John, & HAKALA Juha Request for comments 8254: Uniform Resource Name (URN) Namespace Registration Transition. Fremont, CA: Internet Engineering Task Force, 2017.¹⁰⁾
- [33] *GS1 General Specifications, Identification of Serial Publications, GS1 Prefix 977* ¹¹⁾
- [34] [ISO/IEC 10646](#), *Information technology — Universal Coded Character Set (UCS)*
- [35] Klensin John, Saint-Andre, Peter, Request for comments 8141: Uniform Resource Names (URNs). Fremont, CA: Internet Engineering Task Force, 2017¹²⁾.

7) Available at <https://www.doi.org/hb.html> [cited 18 June 2018]

8) Available at <https://www.niso.org/standards-committees/iota> [cited 9 July 2018]

9) Available from <https://www.iana.org/assignments/urn-formal/issn> [cited 3 October 2018]

10) Available at <https://datatracker.ietf.org/doc/rfc8254> [cited 18 June 2018]

11) Available at https://www.gs1.org/docs/barcodes/GS1_General_Specifications [Cited 18 June 2018]

12) Available at <https://tools.ietf.org/html/rfc8141> [cited 03 August 2020]

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than one device provided that it is accessible by the sole named user only and that only one copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than one copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright and Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email cservices@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email: cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK

