



BSI Standards Publication

Methods of test for full-flow lubricating oil filters for internal combustion engines

Part 6: Static burst pressure test

National foreword

This British Standard is the UK implementation of ISO 4548-6:2021. It supersedes BS ISO 4548-6:2012, which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee MCE/21/6, Filters for volatile liquid fuels and lubricating oils.

A list of organizations represented on this committee can be obtained on request to its committee manager.

Contractual and legal considerations

This publication has been prepared in good faith, however no representation, warranty, assurance or undertaking (express or implied) is or will be made, and no responsibility or liability is or will be accepted by BSI in relation to the adequacy, accuracy, completeness or reasonableness of this publication. All and any such responsibility and liability is expressly disclaimed to the full extent permitted by the law.

This publication is provided as is, and is to be used at the recipient's own risk.

The recipient is advised to consider seeking professional guidance with respect to its use of this publication.

This publication is not intended to constitute a contract. Users are responsible for its correct application.

© The British Standards Institution 2021
Published by BSI Standards Limited 2021

ISBN 978 0 539 03163 8

ICS 27.020

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2021.

Amendments/corrigenda issued since publication

Date	Text affected
------	---------------

INTERNATIONAL
STANDARD

ISO
4548-6

Third edition
2021-06-08

**Methods of test for full-flow
lubricating oil filters for internal
combustion engines —**

Part 6:
Static burst pressure test

*Méthodes d'essai des filtres à huile de lubrification à passage intégral
pour moteurs à combustion interne —*

Partie 6: Essai de pression statique d'éclatement



Reference number
ISO 4548-6:2021(E)

© ISO 2021



COPYRIGHT PROTECTED DOCUMENT

© ISO 2021, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Test rig	1
5 Test fluid	2
6 Preparation and test procedure	2
6.1 Verification that filter meets technical requirements	2
6.2 Determination of the filter failing pressure	3
7 Report of test results	3
Bibliography	4

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 70, *Internal combustion engines*, Subcommittee SC 7, *Tests for lubricating oil filters*.

This third edition cancels and replaces the second edition ([ISO 4548-6:2012](http://www.iso.org/iso/4548-6:2012)), which has been technically revised. The main changes in the third edition are as follows:

- The verification that filters meet technical requirements and the determination of the filter failing pressure have been separated into [6.1](#) and [6.2](#), respectively.
- The first pressure increment in the verification has been specified with a known value.
- Each incremental pressure has been changed to the smaller value for more accurate determination.

A list of all parts in the ISO 4548 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Introduction

This document establishes standard test procedures for measuring the performance of full-flow lubricating oil filters manufactured with metal pressure vessel materials for internal combustion engines. It has been prepared in separate parts, each part relating to a particular performance characteristic.

Together the tests provide the information necessary to assess the characteristics of a filter, but if agreed between the purchaser and the manufacturer, the tests can be conducted separately.

This document deals with filter modules in terms of static burst pressure.

Methods of test for full-flow lubricating oil filters for internal combustion engines —

Part 6: Static burst pressure test

1 Scope

This document specifies a method of testing full-flow lubricating oil filters for internal combustion engines to determine their ability to withstand a static pressure objective and to determine their burst pressure and the failure mode concerned.

It does not apply to filters for use in aeronautical applications or plastic components.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[ISO 4548-1](#), *Methods of test for full-flow lubricating oil filters for internal combustion engines — Part 1: Differential pressure/flow characteristics*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in [ISO 4548-1](#) apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Test rig

[Figure 1](#) shows a circuit diagram of a typical hydraulic test stand that can be used for this procedure.

Hydraulic hand pump or other appropriate technology, with high-pressure tubing and valves, pressure gauge with measuring range of 0 kPa to 3 000 kPa or higher. A transparent safety shield shall be used.

6.1.5 Raise the pressure gradually to 200 kPa, maintain for about 1 min, and check the filter and all fittings for leaks.

NOTE The first pressure increment can be 50 % of the specified objective pressure, if it is judged to be safely attainable.

6.1.6 Now raise the pressure at a controlled pressure ramp up to approximately 100 kPa per 10 s and maintain for approximately 15 s and check filter for leaks or distortion.

6.1.7 Continue raising the pressure at approximately 100 kPa per 10 s intervals with a 15 s check until a specified [see 7 g)] pressure objective is reached as determined by the customer, or otherwise failure occurs.

6.1.8 Relieve the pressure to zero. Check the filter for permanent distortion and tightening torque or angle of rotation.

6.1.9 Take note of the remaining tightening torque or angle of rotation. If loosening has occurred, restore the initial value prior to determination of the filter failing pressure specified in [6.2](#). If the filter failed during the verification that filter meets technical requirements, then filter failing pressure has already been determined.

6.2 Determination of the filter failing pressure

6.2.1 Gradually apply pressure until the objective pressure is reached, then proceed gradually in increments of approximately 100 kPa per 10 s and maintain for approximately 15 s until ultimate failure occurs. 5 % of the burst pressure may be used as the pressure rise value in place of 100 kPa.

6.2.2 Examine the filter for details of the failure mode.

7 Report of test results

The test report shall indicate at least the following:

- a) a reference to this document, i.e. ISO 4548-6:2021;
- b) test establishment;
- c) filter type (manufacturer model No. and batch No.);
- d) date of test;
- e) a description of the filter, whether it is new or used (in the latter case, approximate period of service);
- f) the torque or angle of rotation applied initially (see [6.1.1](#));
- g) the specified pressure objective as determined by the customer and whether reached (see [6.1.6](#));
- h) the remaining tightening torque or angle of rotation (see [6.1.7](#));
- i) visible permanent distortion (see [6.1.7](#));
- j) the burst pressure (see [6.1.8](#));
- k) the mode of failure and its location.

Bibliography

- [1] [ISO 3448](#), *Industrial liquid lubricants — ISO viscosity classification*
- [2] [ISO 12829](#), *Hydraulic spin-on filters with finite lives — Method for verifying the rated fatigue life and the rated static burst pressure of the pressure-containing envelope*
- [3] [ISO 19973-1](#), *Pneumatic fluid power — Assessment of component reliability by testing — Part 1: General procedures*
- [4] SAE J300c, *Engine oil viscosity classification*
- [5] [ISO 1219-1](#), *Fluid power systems and components — Graphical symbols and circuit diagrams — Part 1: Graphical symbols for conventional use and data-processing applications*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than one device provided that it is accessible by the sole named user only and that only one copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than one copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright and Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email cservices@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email: cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK