



BSI Standards Publication

Implants for surgery — Ultra-high-molecular-weight polyethylene

Part 2: Moulded forms

National foreword

This British Standard is the UK implementation of [ISO 5834-2:2019](#). It supersedes [BS ISO 5834-2:2011](#), which is withdrawn.

The UK participation in its preparation was entrusted to Technical Committee CH/150/1, Materials for surgical implants.

A list of organizations represented on this committee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2019
Published by BSI Standards Limited 2019

ISBN 978 0 580 98535 5

ICS 11.040.40

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 28 February 2019.

Amendments/corrigenda issued since publication

Date	Text affected
<hr/>	

INTERNATIONAL STANDARD

ISO
5834-2

Fifth edition
2019-02-02

Implants for surgery — Ultra-high-molecular-weight polyethylene —

Part 2: Moulded forms

Implants chirurgicaux — Polyéthylène à très haute masse moléculaire —

Partie 2: Produits sous forme moulée



Reference number
ISO 5834-2:2019(E)

© ISO 2019



COPYRIGHT PROTECTED DOCUMENT

© ISO 2019, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents		Page
Foreword		iv
1	Scope	1
2	Normative references	1
3	Terms and definitions	1
4	Classification	1
5	Material	1
6	Manufacturing requirements	2
7	Requirements	2
	7.1 Physical properties	2
	7.2 Particulate matter	2
8	Test methods	2
	8.1 Test conditions	2
	8.2 Density	3
	8.3 Tensile testing	3
	8.3.1 General	3
	8.3.2 Tensile stress at yield	3
	8.3.3 Tensile stress at break	3
	8.3.4 Elongation at break	3
	8.4 Notched impact strength	3
	8.5 Sample area for particulate matter	3
9	Identification marking	3
10	Test certificate	3
11	Labelling	4
Bibliography		5

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 150, *Implants for surgery*, Subcommittee SC 1, *Materials*.

This fifth edition cancels and replaces the fourth edition ([ISO 5834-2:2011](http://www.iso.org/iso/5834-2:2011)), which has been technically revised.

The main changes compared to the previous edition are as follows:

- requirement and test for maximum ash content removed;
- limit values and test methods harmonized with respective ASTM standards;
- editorial updates in line with all other parts of the ISO 5834 series.

A list of all parts in the ISO 5834 series can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

Implants for surgery — Ultra-high-molecular-weight polyethylene —

Part 2: Moulded forms

1 Scope

This document specifies the requirements and corresponding test methods for moulded forms, e.g. sheets and rods, made from ultra-high-molecular-weight polyethylene (UHMWPE) for use in the manufacture of surgical implants.

This document is not applicable to direct-moulded (near net shape), irradiated or finished products or products manufactured from polyethylene blended with additives or by blending different forms of polyethylene.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

[ISO 1183-1:2012](#), *Plastics — Methods for determining the density of non-cellular plastics — Part 1: Immersion method, liquid pyknometer method and titration method*

[ISO 5834-1](#), *Implants for surgery — Ultra-high-molecular-weight polyethylene — Part 1: Powder form*

ASTM F648, *Standard specification for ultra-high-molecular-weight polyethylene powder and fabricated form for surgical implants*

3 Terms and definitions

No terms and definitions are listed in this document.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Classification

The material moulded from Type 1, Type 2 or Type 3 powder as defined in [ISO 5834-1](#) shall be classified as Type 1, Type 2 or Type 3 respectively.

5 Material

The moulded material shall be made from UHMWPE powder in accordance with the requirements of [ISO 5834-1](#).

8.2 Density

The density shall be measured by means of method A (immersion method) specified in [ISO 1183-1](#), using at least three specimens. The mean of the results on the three test specimens shall be within the limits given in [Table 1](#).

8.3 Tensile testing

8.3.1 General

The tensile test shall be conducted as specified in ASTM F648. At least five test specimens shall be tested.

8.3.2 Tensile stress at yield

The tensile stress at yield, σ_y , shall be determined in accordance with [8.3.1](#). The mean of the results on the five test specimens shall not be less than the values given in [Table 1](#).

8.3.3 Tensile stress at break

The tensile stress at break, σ_R , shall be determined in accordance with [8.3.1](#). The mean of the results on the five test specimens shall not be less than the values given in [Table 1](#).

8.3.4 Elongation at break

The elongation at break, ϵ_R , shall be determined in accordance with [8.3.1](#). The mean of the results on the five test specimens shall not be less than the values given in [Table 1](#).

8.4 Notched impact strength

The double-notched impact strength, a_{cN} , shall be determined by the impact test specified in ASTM F648. The number of test specimens is specified in ASTM F648.

8.5 Sample area for particulate matter

A total machined surface area of $(0,500 \pm 0,005) \text{ m}^2$ shall be taken from locations within the fabricated form. The area examined shall include both transverse and longitudinal samples, or it may be produced by repeated sectioning through the thickness of the fabricated form. The sample area shall be visually inspected for particulate matter using normal or corrected vision with no magnification.

9 Identification marking

Each item supplied shall be identified with at least a lot identification. A marking, which can also be a serial identification, with reference to the lot identification, may be repeated at intervals along the length of the item.

10 Test certificate

Each lot shall be supplied with a test certificate stating the results of the tests conducted and conformance with the requirements of this document. The test certificate shall include the following information:

- a) reference to this document, i.e. [ISO 5834-2:2019](#);
- b) statement of material type, i.e. Type 1 or Type 2 or Type 3;
- c) lot number or serial number with reference to the lot number;

- d) number of moulded forms tested;
- e) test values in accordance with the appropriate clauses of this document;
- f) description of the UHMWPE annealing treatment.

11 Labelling

The moulded material shall be clearly identifiable.

Bibliography

- [1] [ISO 11542-1](#), *Plastics — Ultra-high-molecular-weight polyethylene (PE-UHMW) moulding and extrusion materials — Part 1: Designation system and basis for specifications*
- [2] [ISO 11542-2](#), *Plastics — Ultra-high-molecular-weight polyethylene (PE-UHMW) moulding and extrusion materials — Part 2: Preparation of test specimens and determination of properties*

British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at bsigroup.com/standards or contacting our Customer Services team or Knowledge Centre.

Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at bsigroup.com/shop, where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit, or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than 1 device provided that it is accessible by the sole named user only and that only 1 copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.
- Standards purchased in hard copy format:
- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than 1 copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright & Licensing team.

Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to bsigroup.com/subscriptions.

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

PLUS is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit bsigroup.com/shop.

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email subscriptions@bsigroup.com.

Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

Useful Contacts

Customer Services

Tel: +44 345 086 9001

Email (orders): orders@bsigroup.com

Email (enquiries): cservices@bsigroup.com

Subscriptions

Tel: +44 345 086 9001

Email: subscriptions@bsigroup.com

Knowledge Centre

Tel: +44 20 8996 7004

Email: knowledgecentre@bsigroup.com

Copyright & Licensing

Tel: +44 20 8996 7070

Email: copyright@bsigroup.com

BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK