



BSI Standards Publication

**Forestry machinery — Portable chain-saws  
— Determination of handle strength**

---

INTERNATIONAL  
STANDARD

**ISO**  
**7915**

Third edition  
2021-03

---

---

**Forestry machinery — Portable chain-  
saws — Determination of handle  
strength**

*Matériel forestier — Scies à chaîne portatives — Détermination de la  
solidité des poignées*



Reference number  
ISO 7915:2021(E)



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2021

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

<b>Contents</b>		Page
<b>Foreword</b> .....		<b>iv</b>
<b>1 Scope</b> .....		<b>1</b>
<b>2 Normative references</b> .....		<b>1</b>
<b>3 Terms and definitions</b> .....		<b>1</b>
<b>4 Test procedure</b> .....		<b>1</b>
4.1 Test temperature.....		1
4.2 Test performance.....		1
4.3 Load application.....		1
4.3.1 General.....		1
4.3.2 Fixation.....		3
4.3.3 Load application.....		3
4.3.4 Relative load directions.....		4
<b>5 Test requirements</b> .....		<b>4</b>
<b>Bibliography</b> .....		<b>5</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 23, *Tractors and machinery for agriculture and forestry*, Subcommittee SC 17, *Manually portable forest machinery*.

This third edition cancels and replaces the second edition (ISO 7915:1991), which has been technically revised.

The main changes compared to the previous edition are as follows:

- the scope has been updated to be inclusive of chain-saws regardless of power source and inclusive of chain-saws for tree service;
- means of mounting the chain-saw, for a more secure and repeatable test, has been defined;
- directional application of test loads clarified;
- minimum test loads for chain-saws for tree service added to [Table 1](#);
- tolerances applied to all measurable;
- new figures have been included to show directions of load applications for chain-saws for forest service and chain-saws for tree service.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

# Forestry machinery — Portable chain-saws — Determination of handle strength

## 1 Scope

This document specifies a test method and strength requirements for the handles of portable hand-held chain-saws for use primarily in forestry and tree-service.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 6531, *Machinery for forestry — Portable chain-saws — Vocabulary*

ISO 6533, *Forestry machinery — Portable chain-saw front hand-guard — Dimensions and clearances*

ISO 7914, *Forestry machinery — Portable chain-saws — Minimum handle clearance and sizes*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 6531 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

## 4 Test procedure

### 4.1 Test temperature

The test temperature shall be  $(20 \pm 5)$  °C.

### 4.2 Test performance

The test shall be performed with the test loads specified in 4.3. The load shall be gradually applied until the test load is achieved in such a manner that there is no impact damage. When the load specified in 4.3 is obtained, hold the load for a duration of  $(4 \pm 1)$  s. The test shall be completed within 1 min.

### 4.3 Load application

#### 4.3.1 General

The chain-saw handles shall be subjected to static loads as specified in Table 1, separately applied at both handles grip, in each of the six directions illustrated in Figure 1 or Figure 2 and as described in 4.3.3.

Table 1 — Test loads

Figure	Designation/Power source/ Engine displacement if applicable	Test loads		
		Forwards ( $X_1$ ) and Backwards ( $X_2$ ) $\left(\frac{+0}{-1}\right)\%$	Up ( $Y_1$ ) and Down ( $Y_2$ ) $\left(\frac{+0}{-1}\right)\%$	Right ( $Z_1$ ) and Left ( $Z_2$ ) $\left(\frac{+0}{-1}\right)\%$
1	Chain-saw for forest service Combustion engine $\leq 50 \text{ cm}^3$ / Electric motor	700 N	700 N	350 N
1	Chain-saw for forest service Combustion engine $> 50 \text{ cm}^3$	1 350 N	1 350 N	700 N
2	Chain-saw for tree service Combustion/Electric motor Definition per ISO 11681-2	500 N	500 N	250 N




Figure 1 — Directions of load applications for chain-saws for forest service




Figure 2 — Directions of load applications for chain-saws for tree service

#### 4.3.2 Fixation

In each case, the chain-saw shall be fixed rigidly by the guide bar mounting pad and securely clamped to prevent flexing of the fixture greater than  $2^\circ$  when load is applied. The sprocket cover may be installed if needed. Direction  $X_p$  shall be aligned parallel to the theoretical centreline of the guide bar. A minimum clearance shall be maintained to prevent contact between the fixture and any part of the body of the chain-saw, excluding the bar mounting pad, so that they do not touch each other during the test.

#### 4.3.3 Load application

##### 4.3.3.1 General

The load shall be applied to each handle over an area of  $(70 \pm 5)$  mm in width. A means to apply the loads to the handles shall be designed in such a way as to maintain directional orientation to  $X_p$ ,  $Y_p$  and  $Z_p$  through the handle midpoint.

##### 4.3.3.2 Load application to the front handle

The load shall be centred on the normal handle grip area at  $(50 \pm 5)$  mm to the left of  $X_0$  (see ISO 6533).

##### 4.3.3.3 Load application to the rear handle

The load shall be centred on the grip area  $(25 \pm 5)$  mm behind the point where the rear most end of the released throttle trigger enters the rear handle in the X direction, and centred on the handle profile in the Y and Z directions.

#### 4.3.4 Relative load directions

The load shall be applied to each handle over an area of  $(70 \pm 5)$  mm in width. A means to apply the loads to the handles shall be designed in such a way as to maintain directional orientation to  $X_p$ ,  $Y_p$  and  $Z_p$  through the handle midpoint within  $\pm 5^\circ$  relative to the guide bar mounting pad, while the load is applied. These directions shall be observed, irrespective of any deformation of the handles or the chain-saw body.

### 5 Test requirements

The chain-saw handles shall not break or crack when tested in accordance with [Clause 4](#). After the test it shall be possible that the operator can hold the machine and stop the engine even in the case of full failure of the vibration isolation system. Before and after the test, the dimensional requirements of ISO 6533 and ISO 7914 shall be complied with.

## Bibliography

- [1] ISO 11681-2, *Machinery for forestry — Portable chain-saw safety requirements and testing — Part 2: Chain-saws for tree service*

# British Standards Institution (BSI)

BSI is the national body responsible for preparing British Standards and other standards-related publications, information and services.

BSI is incorporated by Royal Charter. British Standards and other standardization products are published by BSI Standards Limited.

## About us

We bring together business, industry, government, consumers, innovators and others to shape their combined experience and expertise into standards-based solutions.

The knowledge embodied in our standards has been carefully assembled in a dependable format and refined through our open consultation process. Organizations of all sizes and across all sectors choose standards to help them achieve their goals.

## Information on standards

We can provide you with the knowledge that your organization needs to succeed. Find out more about British Standards by visiting our website at [bsigroup.com/standards](http://bsigroup.com/standards) or contacting our Customer Services team or Knowledge Centre.

## Buying standards

You can buy and download PDF versions of BSI publications, including British and adopted European and international standards, through our website at [bsigroup.com/shop](http://bsigroup.com/shop), where hard copies can also be purchased.

If you need international and foreign standards from other Standards Development Organizations, hard copies can be ordered from our Customer Services team.

## Copyright in BSI publications

All the content in BSI publications, including British Standards, is the property of and copyrighted by BSI or some person or entity that owns copyright in the information used (such as the international standardization bodies) and has formally licensed such information to BSI for commercial publication and use.

Save for the provisions below, you may not transfer, share or disseminate any portion of the standard to any other person. You may not adapt, distribute, commercially exploit or publicly display the standard or any portion thereof in any manner whatsoever without BSI's prior written consent.

## Storing and using standards

Standards purchased in soft copy format:

- A British Standard purchased in soft copy format is licensed to a sole named user for personal or internal company use only.
- The standard may be stored on more than one device provided that it is accessible by the sole named user only and that only one copy is accessed at any one time.
- A single paper copy may be printed for personal or internal company use only.

Standards purchased in hard copy format:

- A British Standard purchased in hard copy format is for personal or internal company use only.
- It may not be further reproduced – in any format – to create an additional copy. This includes scanning of the document.

If you need more than one copy of the document, or if you wish to share the document on an internal network, you can save money by choosing a subscription product (see 'Subscriptions').

## Reproducing extracts

For permission to reproduce content from BSI publications contact the BSI Copyright and Licensing team.

## Subscriptions

Our range of subscription services are designed to make using standards easier for you. For further information on our subscription products go to [bsigroup.com/subscriptions](http://bsigroup.com/subscriptions).

With **British Standards Online (BSOL)** you'll have instant access to over 55,000 British and adopted European and international standards from your desktop. It's available 24/7 and is refreshed daily so you'll always be up to date.

You can keep in touch with standards developments and receive substantial discounts on the purchase price of standards, both in single copy and subscription format, by becoming a **BSI Subscribing Member**.

**PLUS** is an updating service exclusive to BSI Subscribing Members. You will automatically receive the latest hard copy of your standards when they're revised or replaced.

To find out more about becoming a BSI Subscribing Member and the benefits of membership, please visit [bsigroup.com/shop](http://bsigroup.com/shop).

With a **Multi-User Network Licence (MUNL)** you are able to host standards publications on your intranet. Licences can cover as few or as many users as you wish. With updates supplied as soon as they're available, you can be sure your documentation is current. For further information, email [cservices@bsigroup.com](mailto:cservices@bsigroup.com).

## Revisions

Our British Standards and other publications are updated by amendment or revision.

We continually improve the quality of our products and services to benefit your business. If you find an inaccuracy or ambiguity within a British Standard or other BSI publication please inform the Knowledge Centre.

## Useful Contacts

### Customer Services

**Tel:** +44 345 086 9001

**Email:** [cservices@bsigroup.com](mailto:cservices@bsigroup.com)

### Subscriptions

**Tel:** +44 345 086 9001

**Email:** [subscriptions@bsigroup.com](mailto:subscriptions@bsigroup.com)

### Knowledge Centre

**Tel:** +44 20 8996 7004

**Email:** [knowledgecentre@bsigroup.com](mailto:knowledgecentre@bsigroup.com)

### Copyright & Licensing

**Tel:** +44 20 8996 7070

**Email:** [copyright@bsigroup.com](mailto:copyright@bsigroup.com)

## BSI Group Headquarters

389 Chiswick High Road London W4 4AL UK